
SEE FINISH SCHEDULE

RATED WALL CONDITION

WALL TYPE SCHEDULE
SCALE: 1-1/2" = 1'-0"


I. RATED WALLS SHALL EXTEND TO ROOF DECK ABOVE AND BE SEALED FIRE AND SMOKE TIGHT - TYPICAL. 2. PROVIDE SOUND BATT INSULATION WHERE REQUIRED IN THE

FINISH SCHEDULE. SEE DETAILS THIS SHEET.





TYPICAL CONDITION


CEMENT BOARD LAPPED SIDING WEATHER BARRIER 5/8" EXT. GYP. BD. SHEATHING BATT INSULATION 6" MTL. STUDS 5/8" GYP. BD.











8" MTL. STUDS

5/8" GYP. BD.

133

134

201

202

MENS


WOMEN'S

STAIRS

I. SOUND INSULATED WALLS

MEZZANINE

SAFE ROOM



RUBBER BASE - 2

CERAMIC TILE

CERAMIC TILE

VINYL BASE

VINYL BASE


RUBBER BASE - I

CERAMIC TILE

CERAMIC TILE

SEALED CONC.

SEALED CONC.




5/8" GYP. BD.

PAINTED GYPSUM BOARD

PAINTED GYPSUM BOARD

PAINTED GYPSUM BOARD



(2) LAYERS 5/8" GYP. BD.

U.L. ASSEMBLY #U423 2-HR

ACOUSTIC LAY IN

ACOUSTIC LAY IN

ACOUSTIC LAY IN


9'-0"

9'-0"

9'-0"

VARIES

VARIES





THESE DRAWINGS AND THE DESIGN SHOWN HERON ARE THE PROPERTY OF HORD ARCHITECTS. THE REPRODUCTION, COPYING OR USE OF THIS INFORMATION WITHOUT HORD ARCHITECT'S WRITTEN CONSENT IS PROHIBITED; AND ANY INFRINGEMENT WILL BE SUBJECT TO LEGAL ACTION. HORD ARCHITECTS ©

TRUMANN

PROJECT NO.: 2023-02 DRAWN BY: EI CHECKED BY: CAH
DATE: 07-31-2023 **REVISIONS:**

PROPOSED

A702