

A1 EROSION SEDIMENT CONTROL PLAN - AREA 5
SCALE 1" = 40'

GENERAL NOTES

1. ALL ELEVATIONS ARE IN FEET.
2. CONTOUR INTERVALS ARE 1.0'.
3. REFER TO G-100 FOR LAYDOWN AND HAUL ROUTE.
4. INSTALL EROSION CONTROL MEASURE AS INDICATED ON THE PLANS AND AS FIELD CONDITIONS WARRANT PRIOR TO COMMENCING AND CONSTRUCTION ACTIVITIES. REPAIRS OR MODIFICATIONS TO THE MEASURES SHOULD BE MADE IF CONTROL MEASURES PROVE INEFFECTIVE OR IF ADDITIONAL CONTROL MEASURES ARE NECESSARY.

KEYNOTES

1. CONSTRUCT SILT FENCE PER DETAIL B5/CE501
2. CONSTRUCT ROCK CHECK DAM PER DETAIL A5/CE501
3. CONSTRUCT STORM DRAIN CULVERT SEE CG SERIES
4. CONSTRUCT TEMPORARY STABILIZED CONSTRUCTION ENTRANCE PER DETAIL B4/CE501
5. CONSTRUCT AREA INLET PROTECTION PER A4/CE501
6. CONSTRUCTION ESC BASIN SEE CG SERIES
7. CONSTRUCT TRENCH DRAIN AND SUMP PUMP SEE CG SERIES


LEGEND



RIP RAP/ROCK CHECK DAM
PER DETAIL A5/CE501



TRENCH DRAIN AND INLET
PROTECTION



TEMPORARY STABILIZED
CONSTRUCTION ENTRANCE

PROPERTY BOUNDARY


SF SILT FENCE

150 PROPOSED CONTOUR LINE

150 EXISTING CONTOUR LINE

SWALE

KEY PLAN




Site Development
Camden OSD
Camden, Arkansas
Aerojet Rocketdyne

Jacobs
EROSION SEDIMENT CONTROL -
AREA 5

SHEET NO
CE105

SCALE	AS SHOWN
DATE	07/01/2024
PROJ	D3547405
DWG	CE105.dwg
SHEET	15 of 99

PLOT DATE/TIME: 7/23/2024 12:35 PM



Jacobs
777 Main Street
Ft. Worth, TX 76102
Engineering License No. 22380
License Exp. Date: 12/31/2024

NO.	DATE	REVISION	BY	APPROVED	DR	DCG	JPBM	CHK	RR	TM
A	2024-07-01	100% ISSUED FOR REVIEW - DEVELOPMENT	OS	TM						
B	2024-07-19	100% ISSUED FOR CONSTRUCTION - DEVELOPMENT	OS	TM						

THIS DOCUMENT AND THE IDEAS AND DESIGNS INCORPORATED HEREIN, AS AN INSTRUMENT OF PROFESSIONAL SERVICE, IS THE PROPERTY OF JACOBS AND IS NOT TO BE USED IN WHOLE OR IN PART FOR ANY OTHER PROJECT WITHOUT THE WRITTEN PERMISSION OF JACOBS.

JACOBS SOLUTIONS 2023. ALL RIGHTS RESERVED.