	1	2	3	4
			LEGEND	
		VALVE SYMBOLS	PIPING SYMBOLS	MISCELLANEOUS
		GATE VALVE	PITCH DOWN IN DIRECTION OF ARRO	W —
		GLOBE VALVE	DIRECTION OF FLOW	BREATHING AIR CONN
		CHECK VALVE (NON SLAM)) PIPE ANCHOR	PROCESS COMPRESSED AIR CONN Hx DEBRIS VACUUM CONN
D		PLUG VALVE		X DENOTES NEW COLUMN GRID
		(PRV)		E.X DENOTES EXISTING COLUMN GRID
		BUTTERFLY VALVE		
		BALL VALVE	BRANCH - SIDE CONNECTION	100 KEYNOTE REFERENCE
		NEEDLE VALVE	BRANCH - TOP CONNECTION	POINT OF CONNECTION NEW TO EXISTING
_		VALVE IN DROP		WATER HAMMER ARRESTOR
			RISE OR DROP IN PIPE	VTR VENT THROUGH ROOF
			RISER UP (ELBOW)	PIPING TYPES
		GATE VALVE W/ 3/4" HOSE THREAD ADAPTER	CAPPED PIPE	SS SANITARY SEWER V SANITARY VENT (V)
		SOLENOID VALVE	BLIND FLANGE	— - — - — - — - — DOMESTIC COLD WATER (DCW) — — — DOMESTIC HOT WATER (DHW)
С			E UNION (SCREWED)	DOMESTIC HOT WATER RETURN (DHWR) NON POTABLE WATER SV COMBINATION WASTE AND VENT
				CDCD
		SAFETY VALVE OR PRESSURE RELIEF VALVE	TEMPERATURE & PRESSURE PORT	Image: Fight of the second state of
			/E STRAINER WITH BLOWDOWN VALVE	DRAWING/DETAIL REFERENCE KEY
_				REFER TO DRAWING/DETAIL NUMBER
		AUTOMATIC BALANCING V		SHEET NUMBER ON WHICH DETAIL IS DRAWN RE : 2 / P-201
		TEMPERATURE WELL	BELLOWS CONNECTION (DOUBLE SPHERE NEOPRENE TYPE)	SITE/UTILITY INFORMATION
		FLANGED VALVE (GATE VALVE	THERMOMETER	NATURAL GAS DATA NO NATURAL GAS IS SUPPLIED TO THIS SITE.
_		SHOWN)	⊘ <u>†</u> PRESSURE GAGE WITH COCK	
В			FS FLOW SWITCH	WATER SERVICE FLOW TEST DATA
		EQUIPMENT SYMBOLS		FLOW TEST HAS NOT BEEN PERFORMED FOR THIS SITE.
			PUMP	
		NEW EQUIPMENT	LINE/WALL CLEANOUT	
PLUM.rvt		EQUIPMENT	M WATER METER	
or-Buildinç			G GAS METER	CODE COMPLIANCE
Compress				THE PLUMBING SYSTEMS ON THESE DRAWINGS ARE IN COMPLIANCE WITH THE 2021 INTERNATIONAL PLUMBING CODE AND 2018 INTERNATIONAL ENERGY CONSERVATION
, aso_nd				CODE.
45N0_CM			FLOOR DRAIN	STORM DRAIN DESIGN THE PRIMARY STORM DRAINAGE IS VIA GUTTERS AND
dyne/D375			PLUMBING FIXTURES AND EQUIPMENT	DOWNSPOUTS. DESIGN IS BASED ON 3.9 INCH/HR RAIN FALL RATE.
ajet Rockett			DOUBLE CHECK BACKFLOW DCBFP PREVENTER	
P-001 Aero			RPBFP REDUCED PRESSURE BACKFLOW PREVENTER	THERE IS NO SANITARY FOR THIS SITE.
۹ D3754500 _			P 1 RISER DESIGNATION "P": DENOTES SANITARY WASTE AND VENT RISER DIAGRAM OR DOMESTIC COLD AND	
8:42:01 AN Jocs://US_			1 DIAGRAM OR DOMESTIC COLD AND HOT WATER RISER DIAGRAM	
9/17/2024 8:42:01 AM Autodesk Docs://US_D				
L	1	2	3	4

