

9/18/2024 8:49:29 AM I-602 Autodesk Docs://US_D0754500_FED_Aerojet Rocketdyne/D3754500_CMIN_OSD_ControlRoom2_ARCH-INT.rvt


D

C

B


A

SIGNAGE SCHEDULE				
SIGN	ROOM NAME		ROOM NUMBER	VERBIAGE
S1	CONTROL	ROOM (SECURED)	101	CONTROL ROOM - SECURED
S2	TOILET		102	TOILET



ROOM NUMBER: HELVETICA NEUE 55 ROMAN, 1-1/2" TACTILE ROOM NUMBER WITH GRADE TWO BRAILLE.

UPPER CASE HELVETICA NEUE 55 ROMAN, 1" CAPITAL LETTER HEIGHT, FLUSH LEFT, ACCOMPANIED BY GRADE TWO BRAILLE.



ROOM NUMBER: HELVETICA NEUE 55 ROMAN, 1-1/2" CAPITAL LETTER HEIGHT, FLUSH LEFT, TACTILE ROOM NUMBER ACCOMPANIED BY GRADE TWO BRAILLE

ROOM NAME: HELVETICA NEUE 55 ROMAN, 3/4" CAPITAL LETTER HEIGHT, FLUSH LEFT. TACTILE ROOM NAME WITH GRADE TWO BRAILLE.

A1 RESTROOM IDENTIFICATION SIGN BB7C
SCALE 3" = 1'-0"

A2 PERMANENT ROOM IDENTIFICATION SIGN BB2A
SCALE 3" = 1'-0"

GENERAL SHEET NOTES

- A. ALL SIGNAGE MUST COMPLY WITH ADA AND UFC 3 120 01 CRITERIA.
- B. COORDINATE ALL ROOM NUMBERS AND VERBIAGE FOR SIGNS WITH CONTRACTING OFFICER PRIOR TO FABRICATION.
- C. ENSURE THAT ALL SIGN INSERTS CAN BE EASILY REMOVED/REPLACED. CONSIDER INSTALLATION OF SIGNS IN TIGHT CORNERS AND ALCOVES TO ENSURE THAT SIGN INSERT IS ACCESSIBLE.
- D. MOUNT ALL LIKE SIGNS AT THE SAME HEIGHT.
- E. INTERIOR SIGNAGE BACKGROUND COLOR MUST MATCH PT-2.
- F. EXTERIOR SIGNAGE BACKGROUND COLOR MUST MATCH EXTERIOR TRIM COLOR.
- G. REFER TO SIGNAGE PLAN ON SHEET IN101.
- H. REFER TO SIGNAGE DETAILS ON SHEET I-602.


Jacobs
1889 Bryan Street Suite 3500 Dallas, TX 75201
Tel: 214-638-0145 Fax: 214-638-0447
Entity: Jacobs Consultants Inc.
License: Professional Engineer
Exp. Date: 01/31/2025



Control Room 2
Camden OSD
Calhoun County, Arkansas
Aerojet Rocketdyne

Jacobs **MABIOZ**
INTERIOR
SIGNAGE SCHEDULE AND DETAILS

GRAPHIC SCALE(S)



SHEET NO	
I-602	
SCALE	As indicated
DATE	09/18/2024
PROJ	D3754502
DWG	CMIN-OSD_ControlRoom2_1602

PLOT DATE/TIME: 9/18/2024 8:49:29 AM