


9/18/2024 9:43:39 AM A-301 Autodesk Docs://US_D3754500_FED_Aerojet Rocketry/D3754500_CADD_OSD_TestStand_ARCH-INT.rvt



GENERAL SHEET NOTES

- FINISHED FLOOR ELEVATION 0'-0" IS A REFERENCE ELEVATION FOR COORDINATION WITH BUILDING ELEMENTS. ACTUAL ELEVATION IS INDICATED ON CIVIL DRAWINGS.
- FOR ARCHITECTURAL GENERAL NOTES, SYMBOLS, AND LEGEND, REFER TO SHEET G-003.
- FOR CAMPUS WIDE DETAILS, INCLUDING EXTERIOR ASSEMBLIES, REFER TO A-500 SERIES SHEETS.
- FOR BUILDING CODE DATA AND LIFE SAFETY PLAN, REFER TO DRAWING G-101.
- FOR FURNITURE AND EQUIPMENT, REFER TO EQUIPMENT PLANS SHEET A-151, A-401.
- SAT BUILDING IS CO-LOCATED ON SITE WITH TEST STAND, REFER TO A-401 THROUGH A-403 FOR SAT BUILDING, REFER TO CIVIL DRAWINGS FOR ADDITIONAL INFORMATION.
- FOR ARCHITECTURAL ROOF AND WALL ASSEMBLY, REFER TO SHEET A-800

#)SHEET KEYNOTES

- CONCRETE ACCESS WALKWAY
- PEMB SHEET METAL ROOFINGS, RIDGE CAP, RAKE AND EAVE TRIM AND FLASHING - TYPICAL
- CONT. METAL GUTTER 5" DEEP X 6" WIDE. COLOR TO MATCH THE BUILDING
- PEMB: SHEET METAL DOWNSPOUT AND BRACKETS -TYP. 5" DIAMETER. COLOR TO MATCH THE BUILDING
- PEMB: RAKE TRIM AND FASCIA - TYPICAL
- 42" HIGH METAL GUARD RAILING
- CRANE HOOK ENVELOPE
- 1-TON TOP RUNNING SINGLE GIRDER BRIDGE CRANE WITH 15'-0" MIN. HOOK HEIGHT ABOVE
- GALVANIZED GRATED STL STAIR
- EQUIPMENT PAD BEYOND
- X" BRACING - TYPICAL
- CANTILEVERED RETAINING WALL - TYPICAL
- 4" STL THRUST PLATE - TYPICAL
- BATTERED RETAINING WALL - TYPICAL
- THRUST WALL - TYPICAL

GRAPHIC SCALE(S)



JACOBS		REGISTERED ARCHITECT		CHRIS ALFSTAD		9/18/2024		SEA	
1888 Bryan Street Suite 500, Dallas, TX 75201 Tel: 214-638-0145 Fax: 214-638-0447 Entity: Jacobs Consultants Inc. License: State of Arkansas Exp. Date: 01/31/2025		100% ISSUED FOR CONSTRUCTION - EXPANSION		REVISION		CHK		NDYA	
NO.		DATE		DUSN		IE		DR	
0		09/18/2024		0		0		0	
BY		IE		APVD		BH		TM	
APVD		APVD		APVD		APVD		APVD	

Test Stand and SAT Building
Camden OSD
Calhoun County, Arkansas
Aerojet Rocketdyne

ARCHITECTURE
BUILDING SECTIONS

SHEET NO
A-301

SCALE As indicated
DATE 09/18/2024
PROJ D3754502
DWG CADD-OSSD_TestStand_A-301

PLOT DATE/TIME: 9/18/2024 9:43:39 AM