

ROOM NO	ROOM NAME	FLOOR	BASE	WALL FINISH				CEILING	REMARKS
				NORTH	EAST	SOUTH	WEST		
100	ENTRY VEST	WOM	RB-1	PT-1	PT-1	PT-1	PT-1	ACT-1	
101	CORRIDOR	RES-2	RESB-2	PT-2	PT-2	PT-2	PT-2	ACT-1	3
102	FIRE PUMP	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5
103	TOOL RM/WALIS STATION	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	ACT-1	
104	ELECTRICAL	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5
105	MECHANICAL	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5
106	HOIST BAY	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	OTS	1, 4, 6
107	VEST	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	ACT-1	
108	JAN	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	
109	RVE STORAGE	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	OTS	1, 4
110	MOTHER'S RM	RES-1	RB-1	PT-1	PT-1	PT-1	PT-1	ACT-1	
111	OFFICE	RES-1	RB-1	PT-1	PT-7	PT-1	PT-1	ACT-1	
112	VEST	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	ACT-1	-
113	MAINTENANCE BAY	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	OTS	1, 4, 6
114	ALCOVE	RES-2	RESB-2	-	PT-2	PT-2	PT-2	ACT-1	
115	ELEC	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5
116	COMM	SC	RB-1	PT-2 / PT-3	PT-2 / PT-3	PT-2 / PT-3	PT-2 / PT-3	OTS	1, 5, 8
117	WOMEN'S TOILET	RES-2	RESB-1	TLP-2/TLP-3	TLP-1/TLP-2/TLP-3	TLP-1	TLP-1/TLP-2/TLP-3	PT-2	2, 7
118	MEN'S TOILET	RES-2	RESB-1	TLP-1/TLP-2	TLP-1/TLP-2/TLP-3	TLP-1	TLP-1/TLP-2/TLP-3	PT-2	2, 7
119	VEST	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	ACT-1	
120	WASH BAY	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	OTS	1, 4, 6
121	WASH EQUIPMENT	RES-3	RESB-3	PT-2	PT-2	PT-2	PT-2	OTS	1, 4, 6
122	MECHANICAL	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5
123	ELECTRICAL	SC	RB-1	PT-2	PT-2	PT-2	PT-2	OTS	1, 5

- NOTES:**
1. CEILING IS OPEN TO STRUCTURE.
 2. MOISTURE RESISTANT GYPSUM BOARD ON CEILING.
 3. MOISTURE RESISTANT GYPSUM BOARD BEHIND DRINKING FOUNTAIN.
 4. OPEN TO STRUCTURE (OTS) IN THE HANGARS, RVE STORAGE AND WASH BAY, INCLUDING DECK, WILL BE PAINTED PT-5.
 5. OPEN TO STRUCTURE (OTS) WILL BE PAINTED PT-6.
 6. HANGAR STRUCTURE AND WASH EQUIPMENT ROOM WILL BE PAINTED EPOXY PT-2
 7. RESINOUS FLOORING TO EXTEND UNDER THE SHOWER PAN. INSTALL PRIOR TO SHOWER PAN INSTALLATION.
 8. UL 723 FIRE RETARDANT PAINT.

NOTE: PRODUCTS LISTED BY MANUFACTURER ARE FOR IDENTIFICATION AND PERFORMANCE PURPOSES ONLY. THEY ARE NOT INTENDED TO LIMIT SELECTION FROM OTHER MANUFACTURERS. HOWEVER, COLORS PATTERNS, TEXTURES AND PROFILES MUST MATCH THOSE LISTED IN THIS LEGEND IN ORDER TO MAINTAIN COLOR COORDINATION AND VISUAL DESIGN INTEGRITY.

SPEC. SECTION	MATERIAL	ITEM DESCRIPTION	MANUFACTURER	MODEL NUMBER	COLOR	REMARKS
CEILING						
09 51 00	ACT-1	ACOUSTICAL CEILING TILE, 24" X 24"	ARMSTRONG CEILINGS	OPTIMA SQUARE TEGULAR - 3250	WHITE	PRELUDE WHITE 15/16" GRID
FLOORING						
09 67 23.13	RES-1	RESINOUS FLOORING	STONHARD	STONTEC UTF	TEC4-63B, LARGE FLAKES	STANDARD
09 67 23.16	RES-2	RESINOUS FLOORING	STONCHEM	STONCHEM X58/X58HD	TO MATCH TEC4-63B, LARGE FLAKES	5 COAT, FUEL RESISTIVE
09 67 23.16	RES-3	RESINOUS FLOORING	STONCHEM	STONCHEM X58/X58HD	WHITE	5 COAT, FUEL RESISTIVE
09 67 23.16	RES-4	RESINOUS FLOORING	STONCHEM	STONCHEM X58/X58HD	YELLOW	FLOOR MARKING - 5 COAT, FUEL RESISTIVE
09 67 23.16	RES-5	RESINOUS FLOORING	STONCHEM	STONCHEM X58/X58HD	RED	FLOOR MARKING - 5 COAT, FUEL RESISTIVE
09 67 23.16	RES-6	RESINOUS FLOORING	STONCHEM	STONCHEM X58/X58HD	GREEN	FLOOR MARKING - 5 COAT, FUEL RESISTIVE
03 30 00	SC	SEALED CONCRETE	-	-	NATURAL	SEAL WITH CHEMICALLY REACTIVE HARDNER/DENSIFIER. REFER SPEC 03 30 00. NON SLIP
12 48 13	WOM	RECESSED WALK OFF MAT	CONSTRUCTION SPECIALTIES	PEDIMAT M1	9325 GRAPHITE TREADS, BLACK RUBBER, STANDARD RAIL AND FRAME	8'-0"X 8'-8 3/8"
MISCELLANEOUS						
10 26 00	CG-1	CORNER GUARD - 1" X 1"	CONSTRUCTION SPECIALTIES	CO-8	STAINLESS STEEL	
08 22 20	FRP-1	FIBERGLASS REINFORCED PANEL	MARLITE	P-151	LIGHT GREY, PEBBLED	
06 41 16.00 10	PL-1	PLASTIC LAMINATE	WILSONART	P8213K-28	PHANTOM COCOA	
06 61 16	SSF-1	SOLID SURFACE FABRICATION	FORMICA	785	BIANCO MINERAL	
06 61 16	SSF-2	SOLID SURFACE FABRICATION	FORMICA	757	LUNA SAND	
PAINT						
09 90 00	PT-1	ACRYLIC/LATEX - FIELD	BENJAMIN MOORE	OC-130	CLOUD WHITE	REFER SPEC FOR SHEEN
09 90 00	PT-2	EPOXY - FIELD	BENJAMIN MOORE	OC-130	CLOUD WHITE	REFER SPEC FOR SHEEN
09 90 00	PT-3	FIRE RETARDANT - FIELD	BENJAMIN MOORE	OC-130	CLOUD WHITE	UL 723, REFER SPEC FOR SHEEN
09 90 00	PT-4	ACRYLIC/LATEX - GYP. BD CEILING	SHERWIN WILLIAMS	SW7005	PURE WHITE	REFER SPEC FOR SHEEN
09 90 00	PT-5	EPOXY - OTS HANGAR	SHERWIN WILLIAMS	SW7005	PURE WHITE	REFER SPEC FOR SHEEN
09 90 00	PT-6	EPOXY - OTS	SHERWIN WILLIAMS	SW7075	WEB GRAY	REFER SPEC FOR SHEEN
09 90 00	PT-7	ACRYLIC/LATEX - ACCENT WALL	SHERWIN WILLIAMS	SW6524	COMMODORE	REFER SPEC FOR SHEEN
09 90 00	PT-8	EPOXY - DOORS, FRAMES, TRIM	SHERWIN WILLIAMS	SW7075	WEB GRAY	REFER SPEC FOR SHEEN
TILE						
09 30 10	GR-1	GROUT	MAIPEI		93 WARM GRAY	
09 30 10	TLC-1	CERAMIC TILE, 16" X 48"	MARAZZI	MATERIKA	MT12 - OFF WHITE MATTE	RESTROOM FIELD WALL TILE
09 30 10	TLC-2	CERAMIC TILE, 4" X 16"	DALTILE	COLOR WHEEL CLASSIC	1174 - SEA BREEZE GLOSS	RESTROOM ACCENT TILE (50/50 MIX W/ TLC-3)
09 30 10	TLC-3	CERAMIC TILE, 4" X 16"	DALTILE	COLOR WHEEL CLASSIC	1469 - GALAXY GLOSS	RESTROOM ACCENT TILE (50/50 MIX W/ TLC-2)
WALL BASE						
09 65 00	RB-1	RESILIENT WALL-BASE, 4" COVE	TARKETT	BASEWORKS	38 PEWTER	
09 67 23.16	RESB-2	RESINOUS WALL BASE, 4" INTEGRAL COVE	STONCHEM	STONCHEM X58/X58HD	TO MATCH TEC4-63B, LARGE FLAKES	5 COAT, FUEL RESISTIVE
09 67 23.16	RESB-3	RESINOUS WALL BASE, 4" INTEGRAL COVE	STONCHEM	STONCHEM X58/X58HD	WHITE	5 COAT, FUEL RESISTIVE

FINISH SCHEDULE

FINISH LEGEND



MARK	DESCRIPTION	DATE
1	AM 0001 - UPDATED ROOM FINISH SCHEDULE, ROOM 103 LEGEND, ADDED HEIGHT TO WALL BASE RESB-2 AND RESB-3.	12/17/2025

ISSUE DATE: 5 DECEMBER 2025	SOLICITATION NO.: W912BZ8RA004	CONTRACT NO.:	PROJECT NO.: 512203
DESIGNED BY: T. MANN	DRAWN BY: R. READER	CHECKED BY: M. HOOVER, R.A.	SUBMITTED BY: A. BLANKENSHIP, P.E.
US ARMY CORPS OF ENGINEERS TULSA DISTRICT 2408 EAST 151ST TULSA, OK 74157		ENGINEERING & CONSTRUCTION DIVISION ENGINEERING BRANCH	

EBBING ANGB - ARKANSAS F-38: 3 BAY HANGAR PN: 512203	ROOM FINISH SCHEDULE
--	----------------------

SHEET ID
A-711