


PLUMBING SCHEDULE																
ITEM #	QTY	DESCRIPTION	HOT WAT ER	HOT WAT ER TEMPERA TURE	HOT WAT ER	COLD WATER		INDIR ECT WAST E	DIRECT WASTE		PLUMBING CONNECTI ON TYPE	GAS		A.F.F.	REMARKS	
			SIZE		A.F.F.	SIZE	A.F.F.	SIZE	A.F.F.	SIZE		INPUT				
2.1A	1	EVAPORATOR COIL													EXISTING. NO SCOPE OF WORK.	
2.1B	1	EVAPORATOR COIL													EXISTING. NO SCOPE OF WORK.	
3.1	1	EVAPORATOR COIL													EXISTING. NO SCOPE OF WORK.	
8	1	ICE MAKER, CUBE STYLE						3/4"							P.C. TO CONNECT FILTERED WATER FROM WATER FILTER #8.2 TO ICE MAKER. P.C. TO EXTEND DRAIN LINE TO EXISTING FLOOR SINK P-9. P.C. TO EXTEND INSULATED 3/8" RL AND 1/2" RG REFRIGERANT LINES FROM CONDENSING UNIT #8.1 TO ICE MAKER.	
8.1	1	REMOTE CONDENSER SERIES													P.C. TO EXTEND INSULATED 3/8" RL AND 1/2"RG LINES FROM CONDENSING UNIT TO ICE MAKER #8.	
8.2	1	WATER FILTER ASSEMBLY				3/4"	60"								P.C. TO BRANCH CW THRU WATER FILTER AND CONNECT TO ICE MAKER #8.	
9	1	ICE BIN						3/4"			FLOOR SINK				P.C. TO EXTEND DRAIN LINES TO FLOOR SINK P-9. FLOOR SINK ALSO SERVES ICE MAKER #8.	
16	1	DISHTABLE, SOILED						1 1/2"			FLOOR SINK				P.C. TO EXTEND DRAIN LINES TO FLOOR SINK P-16. FLOOR SINK ALSO SERVES WAREWASHER #21.	
17	1	SPLASH-MOUNTED FAUCET	1/2"	140 °F	16"	1/2"	16"								HW AND CW W/ S.O.V.	
18	1	PRE-RINSE FAUCET	1/2"	140 °F	16"	1/2"	16"								HW AND CW W/ S.O.V.	
21	1	WAREWASHER, SINGLE TANK RACK CONVEYOR	1/2"	140 °F	60"			1 1/2"							HW W/ S.O.V. P.C. TO PROVIDE BACKFLOW PREVENTER AND PRESSURE REGULATING VALVE IF REQUIRED. P.C. TO PROVIDE CW ROUGH-IN AND DRAIN WATER TEMPERING KIT IF REQUIRED. BY OTHERS; P.C. TO VERIFY REQUIREMENTS	
23	1	DISHTABLE, CLEAN						1 1/2"			FLOOR SINK/GREASE TRAP				P.C. TO MANIFOLD (3) 1-1/2" DRAIN LINES TO 2" INDIRECT CONNECTION AT FLOOR SINK P-23. P.C. TO EXTEND 2" FROM FLOOR SINK TO 2" DIRECT CONNECTION AT GREASE TRAP BY P.C. P.C. TO COORDINATE PLUMBING DRAIN REQUIREMENTS WITH LOCAL CODE AUTHORITY.	
24	1	FAUCET, SPLASH MOUNT	1/2"		16"	1/2"	16"								HW AND CW W/ S.O.V.	
25	2	HAND SINK, WALL MOUNT							2"	20"	DIRECT WASTE AND VENT					
25.1	1	HAND SINK, WALL MOUNT							2"	20"	DIRECT WASTE AND VENT					
26	2	SPLASH MOUNT FAUCET	1/2"	140 °F	16"	1/2"	16"								HW AND CW W/ S.O.V.	
26.1	1	SPLASH MOUNT FAUCET	1/2"	140 °F	16"	1/2"	16"								HW AND CW W/ S.O.V.	
27	1	SPLASH MOUNT FAUCET	1/2"	140 °F	16"	1/2"	16"								HW AND CW W/ S.O.V.	
28	1	WORK TABLE W/ SINK						1 1/2"			FLOOR SINK				P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-28.	
33.1	1	WATER FILTER ASSEMBLY (COMBI OVEN)				1/2"	72"								CW W/ S.O.V. P.C. TO ROUTE FILTERED WATER LINE ABOVE CEILING TO ITEM 33A TREATED WATER CONNECTION.	
33.2	1	WATER FILTER ASSEMBLY (COMBI OVEN)				1/2"	72"								CW W/ S.O.V. P.C. TO ROUTE FILTERED WATER LINE ABOVE CEILING TO ITEM 33B TREATED WATER CONNECTION. P.C. TO ROUTE WATER LINE ABOVE CEILING TO ITEM 33B	
33A	1	COMBI-OVEN STEAMER				3/4"	45"	2"				1/2"	68200.0 Btu/h	45"	CW W/ S.O.V. P.C. TO CONNECT CW TO UNTREATED WATER CONNECTION. P.C. TO CONNECT FILTERED WATER FROM WATER FILTER 33.1 TO TREATED WATER CONNECTION. SEE NOTE F1	
33B	1	COMBI-OVEN STEAMER				3/4"	14"	2"				1/2"	68200.0 Btu/h	14"	CW W/ S.O.V. P.C. TO CONNECT CW TO UNTREATED WATER CONNECTION. P.C. TO CONNECT FILTERED WATER FROM WATER FILTER 33.2 TO TREATED WATER CONNECTION. SEE NOTE F1	
35	2	COUNTERTOP GRIDDLE, GAS										3/4"	135000.0 Btu/h	24"	SEE NOTE F1	
36	1	CHEESEMELTER, GAS										3/4"	40000.0 Btu/h	60"	SEE NOTE F1	
38	1	HOT PLATE, COUNTERTOP										3/4"	240000.0 Btu/h	24"	SEE NOTE F1	
47	1	THREE WELL HOT HOLDING UNIT						3/4"			FLOOR SINK				P.C. TO EXTEND DRAIN LINES TO FLOOR SINK P-47.	
64	1	WORK TABLE W/ SINK						1 1/2"			FLOOR SINK				P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-64. FLOOR SINK ALSO SERVES BEVERAGE/SODA DISPENSER #65.	
65	2	BEVERAGE/SODA DISPENSER				1/2"	14"	3/4"							CW W/ S.O.V. P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-64/WORK TABLE DRIP TRAY #79. P.C. TO VERIFY REQUIREMENTS; BY OTHERS	
68	1	SPLASH MOUNT FAUCET	1/2"	140 °F	14"	1/2"	14"								HW AND CW W/ S.O.V.	
79	1	WORK TABLE						1"			FLOOR SINK				P.C. TO EXTEND WORK TABLE DRIP TRAY TO FLOOR SINK P-79.	
81	1	TEA BREWER				1/2"	14"								CW W/ S.O.V. P.C. TO BRANCH CW THRU FILTER BY OTHERS AND CONNECT TO TEA BREWER. P.C. TO EXTEND DRAIN LINE TO WORK TABLE DRIP TRAY #79. P.C. TO VERIFY REQUIREMENTS; BY OTHERS	
82	1	COFFEE MAKER, AUTOMATIC				1/2"	14"								CW W/ S.O.V. P.C. TO BRANCH CW THRU FILTER BY OTHERS AND CONNECT TO COFFEE MAKER. P.C. TO EXTEND DRAIN LINE TO WORK TABLE DRIP TRAY #79. P.C. TO VERIFY REQUIREMENTS; BY OTHERS	
91	1	DRIP TRAY WITH GLASS RINSER				1/2"	14"	5/8"							CW W/ S.O.V. P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-92.	
92	1	ESPRESSO MACHINE						7/8"			FLOOR SINK				CW W/ S.O.V. P.C. TO BRANCH CW THRU FILTER BY OTHERS AND CONNECT TO EXPRESSO MACHINE. P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-92. FLOOR SINK ALSO SERVES DRAIP TRAY #91. P.C. TO VERIFY REQUIREMENTS; BY OTHERS	
94	1	SINK, 4-COMPARTMENT						1 1/2"			FLOOR SINK/GREASE TRAP				P.C. TO EXTEND (4) DRAIN LINES TO INDIRECT CONNECTION AT FLOOR SINK P-94. P.C. TO EXTEND 2" DRAIN LINE FROM FLOOR SINK TO DIRECT CONNECTION AT GREASE TRAP BY P.C.	
94.1	2	FAUCET, SPLASH MOUNT	1/2"		14"	1/2"	14"								HW AND CW W/ S.O.V.	
97	1	HAND SINK						1 1/2"			DIRECT WASTE AND VENT					
97.1	1	FAUCET, SPLASH MOUNT	1/2"		14"	1/2"	14"								HW AND CW W/ S.O.V.	
98	1	GLASS WASHER	1/2"	140 °F	14"			2"			FLOOR SINK				HW W/ S.O.V. P.C. TO PROVIDE CW ROUGH-IN AND DRAIN WATER TEMPERING KIT IF REQUIRED. P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-98.	
99	1	ICE BIN						1"			FLOOR SINK				P.C. TO EXTEND DRAIN LINE TO FLOOR SINK P-99.	
100	1	BAG-N-BOX				1/2"	12"								CW W/ S.O.V. P.C TO VERIFY REQUIREMENTS WITH OTHERS.	
101	1	MOP SINK	1/2"		36"		36"		2"		DIRECT WASTE AND VENT				BY OTHERS; P.C. TO VERIFY REQUIREMENTS	



THIS DRAWING IS THE PROPERTY OF FORD HOTEL SUPPLY COMPANY AND IS NOT TO BE USED IN WHOLE OR IN PART WITHOUT THE WRITTEN PERMISSION OF FORD HOTEL SUPPLY.

THIS PLAN IS MADE FROM AVAILABLE INFORMATION. MEASUREMENTS MUST BE VERIFIED ON THE JOB. PLUMBING, ELECTRICAL, REFRIGERATION AND VENT OUTLETS HAVE BEEN LOCATED AS ACCURATELY AS POSSIBLE. WE ACCEPT NO RESPONSIBILITY FOR ERRORS IN MEASUREMENTS, OR DIMENSIONS, OR FOR WORK DONE BY CONTRACTORS AND WILL NOT STAND ANY EXPENSE FOR CHANGES MADE NECESSARY BY LOCAL BUILDING CODES, OR ORDINANCES, OR BY CHANGES AND SUBSTITUTIONS IN EQUIPMENT SHOWN ON THIS PLAN.

REVISIONS		
	ISSUED FOR PERMIT	4.20.2026

Ford Equipment and Contracting Co.

2204 N. BROADWAY
ST. LOUIS, MO 63102
PH: (314) 231-8400
FAX: (314) 231-8426

FOR REFERENCE ONLY



SHEET TITLE
PLUMBING ROUGH-IN
SCHEDULE

HOMEGROWN -
FAYETTEVILLE, AR

DATE:
4.20.2026
DRAWN BY:
SES
SCALE:

DRAWING NO.

FS-3.1