


**SC JOHNSON AR - STE 300
RENOVATION**

903 N. 47TH ST. STE 300
ROGERS, AR 72756



03 FINISH PLAN
1/8" = 1'-0"



2	5	ISSUE FOR BID & PERMIT	01/07/2026
	2	90% CD REVIEW	11/11/2025
DELTA	ISSUE	DESCRIPTION	DATE

IA INTERIOR ARCHITECTS

NEW YORK
100 BROADWAY 12th FLOOR
NEW YORK CITY, NY 10005
TEL 212-682-6909

©2025 INTERIOR ARCHITECTS, P.C., A NEW YORK PROFESSIONAL SERVICES CORPORATION. ALL DRAWINGS AND WRITTEN MATERIAL HEREIN CONSTITUTE THE ORIGINAL AND UNPUBLISHED WORK OF THE ARCHITECT. AND THE SAME MAY NOT BE REPRODUCED, USED, OR DISCLOSED WITHOUT THE WRITTEN CONSENT OF THE ARCHITECT.

Owner Approval
05SCJS.0037.000 1/8" = 1'-0"
Job No. Scale

**FINISH PLAN
A-4.0**

LEGEND		
	FINISH MATERIAL DEFINITION	WALL FINISH DEFINITIONS
	FINISH MATERIAL TAG	SEE ELEVATION
	FLOOR FINISH TRANSITION	ELEV
	FLOOR FINISH DIRECTION	GRAPHIC & FILM
	PATTERN START TILE	REFER TO EXPERIENTIAL DESIGN DOCUMENTS
	AXONOMETRIC / PERSPECTIVE VIEW REFERENCE	EGD
		PAINT
		PA-01
		PANELED & TIMBER
		XX-01
		SOLID & SPECIAL FINISHES
		XX-01
		TILE & STONE
		XX-01
		WALL/WINDOW COVERING & FABRIC
		XX-01
FINISH CODES		
AF ACCESS FLOORING SYSTEM	GF GLAZING FILM	SD STATIC DISSIPATIVE
BA BASE	GL GLASS	SF SPECIAL FINISH
CA CARPET	GR GROUT	SS SOLID SURFACE
CO CONCRETE	ME METAL	ST STONE
CS CEILING SYSTEMS	PA PAINT	TI TILE
DM DECORATIVE MASONRY	PC PERFORMANCE COATING	WC WALL COVERING
EGD EXPERIENTIAL DESIGN	PG PROTECTIVE GUARDS	WF WOOD FLOORING
ELEV REFER TO ELEVATIONS	PL PLASTIC LAMINATE	WP WALL PANELING
EM ENTRANCE MATS	RF RESILIENT FLOOR	WS WOOD SOLID
FA FABRIC	WT WINDOW TREATMENT	WV WOOD VENEER
FT FINISH TRANSITION		

SHEET NOTES

- FOR FINISH MATERIAL DEFINITIONS REFER TO SHEET AN-5.2 FINISHES, AND THE SPECIFICATIONS.
- FOR WALL FINISHES, REFER TO ROOM FINISH SCHEDULE AND ELEVATIONS.
- FOR CEILING FINISHES REFER TO RCP.
- UNLESS OTHERWISE NOTED, TYPICAL FINISHES SHALL BE AS FOLLOWS:
WALLS: PA-01
WALL BASE: BA-01
- DYNAMIC COEFFICIENT OF FRICTION (DCOF) FOR WET AND DRY LEVEL INTERIOR FLOORING SURFACES (INCLUDING SEALED CONCRETE) TO BE 0.42 MIN. MANUFACTURER'S DOCUMENTATION TO BE INCLUDED IN MATERIAL SUBMITTALS.
- UNLESS OTHERWISE NOTED, THE DEFINED STARTING POINT OF A UNITIZED FINISH MATERIAL SHALL BE A FINISHED EDGE OF THE UNIT.

KEYNOTES	
NO.	DESCRIPTION
401	INSTALL NEW WALL WOOD PANELING AND TILE BASE TO MATCH EXISTING FINISH AND CONSTRUCTION.