SPECIALTY EQUIPMENT SCHEDULE									
MARK	DESCRIPTION	ACQ/INS RESPONSIBILITY	PLUMBING	ELECTRICAL	MEDICAL GAS	MISC GAS	NON-MEDICAL	TELECOMMUNICATIONS	MISC
\-ARCHIT	TECTURAL								
A1014	TELEPHONE, WALL MOUNTED	VV	N/A	N/A	N/A	N/A	N/A	Α	N/A
A1015	TELEPHONE, DESK, MULTIPLE LINE	VV	N/A	N/A	N/A	N/A	N/A	A	N/A
A1066	MIRROR, FLOAT GLASS, WITH SS FRAME	CC	N/A	N/A	N/A	N/A	N/A	N/A	l
A5080	DISPENSER, PAPER TOWEL	VV	N/A	N/A	N/A	N/A	N/A	N/A	
A5082	DISPENSER, PAPER TOWEL, SENSOR, HANDS FREE	CC	N/A	N/A	N/A	N/A	N/A	N/A	l
A5090	DISPOSAL, SANITARY NAPKIN	CC	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A5109.2	36" GRAB BAR	CC	N/A	N/A	N/A	N/A	N/A	N/A	l
A5109.3	42" GRAB BAR	CC	N/A	N/A	N/A	N/A	N/A	N/A	
A5135	MOP/ BROOM HOLDER	CC	N/A	N/A	N/A	N/A	N/A	N/A	N/A
A5195	DISPENSER, TOILET TISSUE	CC	N/A	N/A	N/A	N/A	N/A	N/A	N/A
-FURNIT	TURE AND FURNISHINGS								
	WORKCENTER, COMPUTER, FREE STANDING, 36"W	VV	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F0300	CHAIR, TASK, SWIVEL, WITH ARMS	VV							
F0465	CABINET, STORAGE, 2 DOOR, 5 SHELF	VV	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F0775	TABLE, WORK, 2 DRAWER	VV	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F2000	BASKET, WASTEPAPER	VV	N/A	N/A	N/A	N/A	N/A	N/A	N/A
F2550	SHREDDER, PAPER, HEAVY DUTY	VV	N/A	А	N/A	N/A	N/A	N/A	N/A
M-MISCEI	LLANEOUS								
	COMPUTER, MICROPROCESSING, W/ FLAT PANEL MONITOR	VV	N/A	Α	N/A	N/A	N/A	В	N/A
	WALL MOUNTED ADJUSTABLE HEIGHT RETRACTABLE WORK STATION (WORK STATION IS USED AS A COMPUTER STATION)	VV	N/A	В	N/A	N/A	N/A	В	D. I
	COPIER, FLOOR STANDING, DIGITAL	VV	N/A	В	N/A	N/A	N/A	В	N/A
	PRINTER, COMPUTER	VV	N/A	A	N/A	N/A	N/A	В	N/A
M-MOBILE									
	WIRE SHELF (74" H x 18" D x 48" W)(BASIS OF DESIGN: EACH FULLY ASSEMBLED M2055 UNIT INCLUDES: METRO SUPER ERECTA SHELVING SYSTEM WITH METROSEAL EPOXY CORROSION RESISTANCE. METRO SHELF CATALOGUE NUMBER SE-184874K4-S-4 WITH 4 SWAGED POSTS FOR CASTERS. 2 ADDITIONAL SHELVES, METRO CATALOGUE NO. 1848NK4 AND ACCESSORIES FOR INSTALLATION. 4 METRO CASTERS METRO CATALOGUE NO. 5MHTNB.)	CC	N/A	N/A	N/A	N/A	N/A	N/A	N/A

----*DEDUCT ALTERNATE 2: WIRE SHELVING SHALL BE GOVERNMENT FURNISHED AND INSTALLED (VV).

ACQUISITION CODE LEGEND

CC = CONTRACTOR FURNISHED AND INSTALLED VC = GOVERNMENT FURNISHED, CONTRACTOR INSTALLED VV = GOVERNMENT FURNISHED AND INSTALLED

UTILITY CONNECTION LEGEND

UTILITY 1: PLUMBING (WATER AND DRAINAGE)

A. HOT AND COLD WATER B. COLD WATER AND DRAIN

. HOT WATER AND DRAIN D. COLD AND HOT WATER AND DRAIN E. TREATED WATER AND DRAIN

F. COLD, HOT AND TREATED WATER AND DRAIN G. COLD AND TREATED WATER AND DRAIN H. HOT AND TREATED WATER AND DRAIN

DRAIN ONLY

J. COLD WATER ONLY

UTILITY 2: ELECTRICAL
A. 120 VOLT, CONVENTIONAL OUTLET B. 120 VOLT, SPECIAL OUTLET

C. 208/220 VOLT D. 120 AND 208/220 VOLT

E. 440 VOLT, 3 PHASE
F. SPECIAL ELECTRICAL REQUIREMENTS G. 208/220 VOLT, 3 PHASE

UTILITY 3: MEDICAL GAS

A. OXYGEN B. VACUUM

C. AIR, LOW PRESSURE (30 PSIG MAXIMUM) D. AIR, HIGH PRESSURE (85 PSIG MAXIMUM)

. OXYGEN AND MEDICAL AIR (50 PSIG) F. OXYGEN, VACUUM AND MEDICAL AIR (50 PSIG) G. VACUUM AND HP AIR (85 PSIG MINIMUM)

H. MEDICAL AIR (50 PSIG) **UTILITY 4: MISCELLANEOUS GAS**

A. STEAM B. NITROGEN GAS

C. NITROUS OXIDE D. NITROGEN AND NITROUS OXIDE GAS

E. CARBON DIOXIDE GAS
F. LIQUID CARBON DIOXIDE G. LIQUID NITROGEN

UTILITY 5: NON-MEDICAL GAS A. NATURAL GAS

B. LIQUID PROPANE GAS

. METHANE D. BUTANE

. HYDROGEN GAS G. RESERVED H. ACETYLENE GAS

E. PROPANE

UTILITY 6: TELECOMMUNICATIONS

A. TELEPHONE B. DATA C. CABLE TV

UTILITY 7: MISCELLANEOUS

A. EARTH GROUND B. LEAD LINED WALLS

C. REMOTE ALARM GROUND D. EMPTY CONDUIT WITH PULL CORD E. VENT TO ATMOSPHERE

F. SPECIAL GAS REQUIREMENTS G. LIQUID GAS REQUIREMENTS

REGARDLESS OF ACQUISITION CODE

H. RF/MAGNETIC SHIELDING WALL/CEILING SUPPORT REQUIRED, PROVIDED FOR BY GC

EMPTY CONDUIT/PULLCORD AND WALL/CEILING SUPPORT REQUIRED K. EARTH GROUND AND WALL/CEILING SUPPORT REQUIRED

LEAD LINED WALLS AND WALL/CEILING SUPPORT REQUIRED

CONSULTANTS CONSULTING STRUCTURAL ENGINEERS Revision Number Revisions: Date:

VA FORM 08 - 6231

ARCHITECT/ENGINEER OF RECORD | STAMP HARRELL DESIGN GROUP PC 10720 SIKES PLACE, SUITE 100 CHARLOTTE, NC 28277 704-814-1346 POC: LEE HARRELL PE, LEED AP, QCxP

HDG PROJECT: 19022

HARRELL

DESIGN GROUP, PC. WWW.HARRELLDG.COM COPYRIGHT © 2024

Digital Signature not valid without Certificate below seal.

DRAWING TITLE

CONSTRUCTION EQUIPMENT SCHEDULES APPROVED

DOCUMENTS SUBMISSION FULLY SPRINKLERED

PROJECT TITLE PROJECT NUMBER RENOVATE SPACE FOR LOGISTICS 564-24-104 BUILDING NUMBER DRAWING NUMBER LOCATION FAYETTEVILLE VA MEDICAL CENTER QH601-A CHECKED DRAWN ISSUE DATE

JC

11 APRIL 2024

Engineering Service VETERANS HEALTH CARE SYSTEM OF THE OZARKS VA U.S. Department of Veterans Affairs