



### GENERAL SHEET NOTES

A. REFER TO SHEET A001 FOR GENERAL FLOOR PLAN NOTES AND SYMBOLS.

B. FOR PATIENT BED, HEADWALL, AND PATIENT LIFT SUPPORT COORDINATION AND INFORMATION, SEE REFLECTED CEILING PLAN SHEETS AE120 TO AE123, PATIENT LIFT SUPPORTS SHEET AE501, AND TYPICAL HEADWALL ELEVATION ON SHEET D6 / AE405.

C. REFER TO ALL PHASING SHEETS. GENERAL CONTRACTOR MUST ENSURE THAT ALL CONTRACTORS ARE RESPONSIBLE FOR COORDINATION ACROSS ENTIRE SET OF CONSTRUCTION DOCUMENTS.

D. FOR PARTITION TYPE DEFINITIONS, SEE SHEET G501.

E. ALL INTERIOR PARTITION WALLS MUST BE ACOUSTIC RATED AND GO TO THE UNDERSIDE OF STRUCTURE.

F. FOR DOOR SYMBOL LEGEND SEE SHEET AE601.

G. EQUIPMENT NOT SHOWN FOR CLARITY, SEE EQUIPMENT DRAWINGS SHEETS QH102 TO QH601 AND TYPICAL PLAN SHEET AE404 FOR INFORMATION.

H. FOR LOUVER TYPE AND SIZE INFORMATION, SEE SHEET AE602.

I. IN ELECTRICAL AND IT/SYSTEMS ROOMS, PROVIDE AND INSTALL 3/4" TYPE X FIRE RETARDANT PLYWOOD BACKBOARD ON WALLS DESIGNATED FOR EQUIPMENT MOUNTINGS. PLYWOOD TO BE PAINTED WHITE EXCEPT RATING STAMP. INSTALL PLYWOOD WITH #12 GALVANIZED FLAT HEAD WOOD SCREWS INTO STUDS AT 16" O.C. VERTICAL AND HORIZONTAL.

J. EXISTING WALLS TO REMAIN SHALL RECEIVE A NEW LAYER OF 1/4" GYP. BD. BEFORE APPLYING FINISH.

### SHEET KEYNOTES

08.01 CEILING ACCESS PANEL 24" x 24", TYPICAL.

11.03 A1205 (PATIENT LIFT TRACK), COUPLED WITH A1205.1 (CC).

### PARTITION GRAPHICS

**PARTITION PHASING**

EXISTING ELEMENT TO REMAIN

EXISTING ELEMENT TO BE DEMOLISHED

TEMPORARY 1-HOUR RATED ELEMENT TO BE CONSTRUCTED AND DEMOLISHED IN SAME PHASE

**PARTITION RATING**

NO RATING

SMOKE RESISTIVE PARTITION - NON RATED

1 HOUR FIRE BARRIER

1 HOUR FIRE/SMOKE BARRIER

2 HOUR FIRE BARRIER

2 HOUR FIRE/ SMOKE BARRIER

Revisions:		
No.	Description	Date

**CONSULTANTS:**

**BRITT, PETERS AND ASSOCIATES**  
INC.  
consulting engineers

8701 RED OAK BLVD, SUITE 500  
CHARLOTTE, NC 28217  
PHONE: 704.522.0405  
WWW.BRITTPETERS.COM

Seal:

Digital Signature not valid without Certificate below seal.

**JONATHAN A. CARR**  
11080  
REGISTERED PROFESSIONAL ENGINEER  
STATE OF NORTH CAROLINA  
CHARLOTTE, NC

**ARCHITECT / ENGINEERS:**

**HARRELL DESIGN GROUP, P.C.**

8016 TOWER POINT DRIVE  
CHARLOTTE, NC 28227  
P 704.814.1320  
F 704.321.0833

HG PROJECT: 18002  
COPYRIGHT © 2023

Drawing Title:

**ENLARGED - TYPICAL FLOOR AND REFLECTED CEILING PLAN**

Project Phase:

BID DOCUMENTS

**FULLY SPRINKLERED**

Project Title:

**RENOVATE MED SURGE WARDS**

Location:

VETERANS HEALTHCARE SYSTEM OF THE OZARKS

Date:

MARCH 24, 2024

Checked:

JC/LK

Drawn:

MS

Project Number:

564-17-140

Building Number:

1

Drawing Number:

**AE404**

Sheet **54** of **162**

**Engineering Service**

**VETERANS HEALTH CARE SYSTEM OF THE OZARKS**

**VA** U.S. Department of Veterans Affairs