





 one eighth inch = one foot
 0 4 8 16



 one quarter inch = one foot
 0 4



 one half inch = one foot
 0 2



 three quarters inch = one foot
 0 1 2 3



 one inch = one foot
 0 1



 one and one half inches = one foot
 0 0.5 1 1.5



 one and one eighth inches = one foot
 0 0.375 0.75 1.125



 one and three quarters inches = one foot
 0 0.625 1.25 1.75



 two inches = one foot
 0 1 2


 two and one half inches = one foot
 0 0.5 1 1.5 2 2.5


 three inches = one foot
 0 1 2 3


 four inches = one foot
 0 1 2 3 4


 six inches = one foot
 0 1 2 3 4 5 6


 one foot

IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROVIDE THE FOLLOWING INFECTION CONTROL PRECAUTIONS DEPENDING UPON AREA CLASS DESIGNATION:


GENERAL SHEET NOTES

- A. FOR TEMPORARY WALL LOCATIONS SEE CORRESPONDING DEMOLITION SHEETS A05090 - A05044.
- B. WORK IN CORRIDORS TO ALLOW OVERNIGHT FOR INFO SEE PHANG SHEET SERIES GC 119 - GC 125.
- C. MAINTAIN CORRIDOR WIDTHS AT SIX FEET MINIMUM.
- D. REFER TO SHEET A0010 FOR GENERAL DEMOLITION NOTES.
- E. GO TO PROVIDE TEMPORARY 1-HR FIRE RATED SMOKE TIGHT CONSTRUCTION PARTITIONS TO SEPARATE ALL OCCUPIED AREAS FROM DEMOLITION AND CONSTRUCTION. PARTITIONS SHALL BE FULL HEIGHT, EXTENDING THROUGH SUSPENDED CEILINGS TO THE FLOOR SLAB OR ROOF DECK. UNLESS SPRINKLERS ARE OPERATIONAL, ON BOTH SIDES OF THE TEMPORARY PARTITION, TEMPORARY PARTITION MAY BE PERMITTED TO TERMINATE AT THE CEILING.
- F. GO TO PROVIDE ADHESIVE MAT FOR INFECTION CONTROL.




A

REFER TO SHEET AI001 FOR GENERAL DEMOLITION NOTES.







— — — — PROJECT AND ABOVE CEILING WORK LIMITS

 INDICATES AREA NOT IN SCOPE OF WORK


PARTITION PHASING


	EXISTING ELEMENT TO REMAIN
	EXISTING ELEMENT TO BE DEMOLISHED
	TEMPORARY 1-HOUR RATED ELEMENT TO BE CONSTRUCTED AND DEMOLISHED IN SAME PHASE

PARTITION RATING


	NO RATING
	SMOKE RESISTIVE PARTITION - NON RATED
	1 HOUR FIRE BARRIER
	1 HOUR FIRE/SMOKE BARRIER
	2 HOUR FIRE BARRIER
	2 HOUR FIRE/ SMOKE BARRIER



CONSULTANTS:	
 <p>BRITT, PETERS AND ASSOCIATES INC. consulting engineers</p>	<p>8701 RED OAK BLVD, SUITE 500 CHARLOTTE, NC 28217 PHONE: 704.522.0495 WWW.BRITTPETERS.COM</p>

ARCHITECT / ENGINEERS:	
	
HARRELL	
• DESIGN GROUP, P.C. •	
8016 TOWER POINT DRIVE CHARLOTTE, NC 28227	P 704.814.1320 F 704.321.0833
	H/DG PROJECT: 18002 COPYRIGHT © 2023

Project Title: RENOVATE MED SURGE WARDS		
Location: VETERANS HEALTHCARE SYSTEM OF THE OZARKS		
Date: MARCH 24, 2024	Checked: TR	Drawn: MS

Project Number: 564-17-140	 <p>Engineering Service</p> <p>VETERANS HEALTH CARE SYSTEM OF THE OZARKS</p>
Building Number: 1	
Drawing Number: GC050	
Sheet 8 of 162	<p>VA U.S. Department of Veterans Affairs</p>