




1
A2.0 West Elevation - Northeast Corner
1/8" = 1'-0" SCALE (A)



2
A2.0 West Elevation - Southeast Corner
1/8" = 1'-0" SCALE (A)



3
A2.0 West Elevation
1/8" = 1'-0" SCALE (A)



- GENERAL ELEVATION NOTES:**
- A. DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE APPROXIMATE. ACTUAL FIELD VERIFIED DIMENSIONS SHALL BE OBTAINED BY THE GENERAL CONTRACTOR OR THE APPLICABLE SUB-CONTRACTORS BEFORE SUBMITTING SHOP DRAWINGS, ORDERING MATERIALS, OR THE COMMENCEMENT OF CONSTRUCTION.
 - B. REFER TO THE SPECIFICATIONS FOR THE REQUIREMENT FOR WORKING IN AREAS WHERE LEAD PAINT HAS BEEN IDENTIFIED.
 - C. REFER TO THE SPECIFICATIONS FOR THE IDENTIFICATION AND DISPOSAL OF FLUORESCENT LIGHTS AND BALLASTS IN EXISTING FIXTURES
 - D. REFER TO THE SPECIFICATIONS FOR REQUIRED SAFETY MEASURES REQUIRED FOR THE EXCAVATION OF SOILS SURROUNDING THE MAURICE STRUCTURE WHERE ELEVATED LEVELS OF METALS WERE IDENTIFIED.

KEYNOTES

03.601	033000, 030130.52 - REPAIR CONCRETE RAMP WHERE EXISTING HANDRAILS WERE DEMOLISHED. CONCRETE PATCH TO BE FLUSH WITH EXISTING RAMP CONCRETE. REFERENCE STRUCTURAL DRAWINGS.
03.680	033000 - INSTALL NEW CONCRETE RUNNELS. REFERENCE CIVIL DRAWINGS.
03.681	033000 - INSTALL NEW CONCRETE RUNNEL CURBS. REFERENCE CIVIL DRAWINGS.
05.02	055213, 099123 - INSTALL NEW GALVANIZED METAL HANDRAILS. PREP, PRIME AND PAINT.
05.600	050373 - REFINISH HISTORIC BRONZE SIGN (1 EA.)
07.600	REFERENCE ROOF PLAN FOR TREATMENT RECOMMENDATIONS. TYPICAL.
07.602	076200 - INSTALL NEW DOWNSPOUT, DOWNSPOUT ELBOW AND ASSOCIATED ANCHORS. DOWNSPOUT TO DISCHARGE INTO NEW CONCRETE RUNNELS.
08.01	081113, 081433, 087100 - REFERENCE FLOOR PLANS, THE DOOR SCHEDULE, AND SPECIFICATIONS FOR WORK REQUIRED FOR DOORS.
08.11	080152.61, 099113, 099123 - RESTORE HISTORIC WOOD WINDOW. REFERENCE WINDOW SCHEDULE FOR REQUIRED REPAIRS. PREP, PRIME, AND PAINT ALL EXISTING WOOD WINDOW TO REMAIN. INSTALL NEW EXTERIOR STORM WINDOW. REFERENCE WINDOW SCHEDULE.
08.14	088000, 099113, 099123 - INSTALL REPLICA WOOD WINDOWS WITH INSULATED GLAZING. REFERENCE WINDOW SCHEDULE. PREP, PRIME, AND PAINT ALL NEW WINDOWS.
08.601	092300, 092300, 092400 - PREP EXISTING DOOR OPENING FOR NEW CUSTOM STEEL ENTRY DOUBLE DOORS WITH ARCHED TRANSOM TO MATCH THE HISTORIC CONFIGURATION AT SUN PORCH. DAMAGED INTERIOR PLASTER AND EXTERIOR STUCCO DURING INSTALL SHALL BE REPAIRED IN KIND.
08.602	092300, 092400 - PREP EXISTING WINDOW OPENING FOR NEW CUSTOM STEEL WINDOWS TO MATCH THE HISTORIC CONDITION AT SUN PORCH. DAMAGED INTERIOR PLASTER AND EXTERIOR STUCCO DURING INSTALL SHALL BE REPAIRED IN KIND.
09.600	099113 - PREP AND PAINT EXTERIOR WALLS (ROUGHLY 2050 SF).
09.601	093013 - INSTALL CUSTOM TILES TO MATCH REMOVED HISTORIC TILES. CUSTOM COLOR AND SHAPE TO MATCH EXISTING (50 EA).
09.602	093013 - REPAIRS AREAS OF CRACKED TILE GROUT. REINSTALL SALVAGED TILE, RESET, AND GROUT (100 LF).
09.603	062013, 099113 - REPAIR EAVES. PREP, PRIME, AND PAINT.
09.604	092400 - REPAIR CRACKS IN STUCCO (ROUGHLY 300 LF).
09.605	092400 - INSTALL NEW STUCCO WHERE LOOSE STUCCO WAS REMOVED (ROUGHLY 300 SF).
09.608	061000, 092400 - INFILL EXTERIOR HOLE WITH NEW STUCCO TO MATCH ADJACENT STUCCO. SHEATHING WILL BE REQUIRED TO INFILL HOLE PRIOR TO STUCCO INSTALLATIONS (2 SF).
09.609	092400 - INFILL EXTERIOR HOLE WITH NEW STUCCO TO MATCH ADJACENT STUCCO (1 SF).
09.611	099113 - PREP, PRIME, AND PAINT OUTSIDE FACE OF ABA RAMP TO MATCH EXISTING. ENSURE REPLACEMENT CONCRETE HAS CURED PRIOR TO PAINTING.
09.612	099113 - PREP, PRIME, AND PAINT NEW AND EXISTING RETAINING WALL TO MATCH EXISTING. ENSURE REPLACEMENT CONCRETE HAS CURED PRIOR TO PAINTING.

ELEVATION TREATMENT LEGEND

	REPLACEMENT MATERIAL INSTALLED (INCLUDING WINDOWS, DOORS, RETAINING WALLS, ETC)
TILE	
	TL-1 REPAIR AREAS OF CRACKED TILE GROUT, EXISTING TILE TO REMAIN IN PLACE (50 SF). CONTRACTOR TO TAKE GREAT CARE OF EXISTING HISTORIC TILES. REPLACEMENT HISTORIC TILES ARE NOT AVAILABLE.
STUCCO	
	ST-1 REMOVE LOOSE, DAMAGED AND /OR STRUCTURAL UNSOUND STUCCO AND REPLACE WITH NEW STUCCO.
	ST-2 REMOVE BIOLOGICAL GROWTH FROM STUCCO (N-20 SF, W-15 SF: TOTAL 150 SF). PER SECRETARY OF INTERIOR'S STANDARDS USE THE GENTLEST MEANS POSSIBLE IN ORDER TO PRESERVE THE HISTORIC FABRIC. NO SANDBLASTING, CHEMICALS, OR HIGH PRESSURE SPRAY. REFERENCE SPECIFICATIONS.
	REPAIR CRACKS

THIS PAGE WAS PREPARED WITH COLORED LINES AND HATCHES. WHEN PRINTING, USE COLOR.



A/E FIRMS PRIME/ARCH: STRATA ARCHITECTURE 1701 CHAK STREET, SUITE 100 KANSAS CITY, MO T. 816.474.0900	DESIGNED: CA/AG	SUB SHEET NO. 01 A2.0	TITLE OF SHEET MAURICE BATHHOUSE WEST ELEVATION	DRAWING NO. 128 182951
	CADD: CA/ZA/EM			PMIS/PKG NO. 318915
TECH. REVIEW: AG	DATE: 10.27.2023		REHABILITATE BATHHOUSES HOT SPRINGS NATIONAL PARK	SHEET 53 OF 286

11/8/2023 5:38:24 PM