


**GENERAL ELEVATION NOTES:**

- A. DO NOT SCALE FROM THE DRAWINGS. ALL DIMENSIONS ARE APPROXIMATE. ACTUAL FIELD VERIFIED DIMENSIONS SHALL BE OBTAINED BY THE GENERAL CONTRACTOR OR THE APPLICABLE SUB-CONTRACTORS BEFORE SUBMITTING SHOP DRAWINGS, ORDERING MATERIALS, OR THE COMMENCEMENT OF CONSTRUCTION.
- B. REFER TO THE SPECIFICATIONS FOR THE REQUIREMENT FOR WORKING IN AREAS WHERE LEAD PAINT HAS BEEN IDENTIFIED.
- C. REFER TO THE SPECIFICATIONS FOR THE IDENTIFICATION AND DISPOSAL OF FLUORESCENT LIGHTS AND BALLASTS IN EXISTING FIXTURES
- D. REFER TO THE SPECIFICATIONS FOR REQUIRED SAFETY MEASURES REQUIRED FOR THE EXCAVATION OF SOILS SURROUNDING THE MAURICE STRUCTURE WHERE ELEVATED LEVELS OF METALS WERE IDENTIFIED.

**KEYNOTES**

07.600	REFERENCE ROOF PLAN FOR TREATMENT RECOMMENDATIONS, TYPICAL.
08.11	080152.61, 099113, 099123 - RESTORE HISTORIC WOOD WINDOW. REFERENCE WINDOW SCHEDULE FOR REQUIRED REPAIRS. PREP, PRIME, AND PAINT ALL EXISTING WOOD WINDOW TO REMAIN. INSTALL NEW EXTERIOR STORM WINDOW. REFERENCE WINDOW SCHEDULE.
09.600	099113 - PREP AND PAINT EXTERIOR WALLS (ROUGHLY 2050 SF).
09.603	062013, 099113 - REPAIR EAVES. PREP, PRIME, AND PAINT.
09.604	092400 - REPAIR CRACKS IN STUCCO (ROUGHLY 300 LF).
09.606	092400 - INSTALL NEW STUCCO WHERE MISSING (ROUGHLY 5 SF)
09.607	092400 - INSTALL NEW STUCCO WHERE NON-APPROPRIATE PATCH WAS REMOVED (6 SF)



Third Floor  
24' - 8"

Second Floor  
13' - 6 1/2"

First Floor  
0' - 0"

Basement  
-8' - 2 3/4"

**ELEVATION TREATMENT LEGEND**

	REPLACEMENT MATERIAL INSTALLED (INCLUDING WINDOWS, DOORS, RETAINING WALLS, ETC)
<b>TILE</b>	
	TL-1 REPAIR AREAS OF CRACKED TILE GROUT, EXISTING TILE TO REMAIN IN PLACE (50 SF). CONTRACTOR TO TAKE GREAT CARE OF EXISTING HISTORIC TILES. REPLACEMENT HISTORIC TILES ARE NOT AVAILABLE.
<b>STUCCO</b>	
	ST-1 REMOVE LOOSE, DAMAGED AND /OR STRUCTURAL UNSOUND STUCCO AND REPLACE WITH NEW STUCCO.
	ST-2 REMOVE BIOLOGICAL GROWTH FROM STUCCO (N-20 SF, W-15 SF; TOTAL 150 SF). PER SECRETARY OF INTERIOR'S STANDARDS USE THE GENTLEST MEANS POSSIBLE IN ORDER TO PRESERVE THE HISTORIC FABRIC. NO SANDBLASTING, CHEMICALS, OR HIGH PRESSURE SPRAY. REFERENCE SPECIFICATIONS.
	REPAIR CRACKS

THIS PAGE WAS PREPARED WITH COLORED LINES AND HATCHES. WHEN PRINTING, USE COLOR.

1 East Elevation  
A2.2 1/8" = 1'-0" SCALE (A)



A/E FIRMS  
PRIME/ARCH:  
STRATA ARCHITECTURE  
1701 OAK STREET,  
SUITE 100  
KANSAS CITY, MO  
T. 816.474.0900

DESIGNED:  
CA/AG  
CADD:  
CA/ZA/EM  
TECH. REVIEW:  
AG  
DATE:  
10.27.2023

SUB SHEET NO.  
**01  
A2.2**

TITLE OF SHEET  
**MAURICE BATHHOUSE  
EAST ELEVATION**

REHABILITATE BATHHOUSES  
HOT SPRINGS NATIONAL PARK

DRAWING NO.  
**128  
182951**

PMIS/PKG NO.  
318915

SHEET  
55 OF 286