


1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

ESTIMATED LOCATION OF EXISTING SPRING IN CRAWLSPACE



A  
B  
C  
D  
E  
F  
G  
H  
I

EXISTING LANDSCAPE SITE WALL

EXISTING L-SHAPED SITE RETAINING WALL TO BE DEMOLISHED AND REPLACED; REFER TO S1.0B & S1.1B



EXISTING CURVED SITE RETAINING WALL TO REMAIN WITH REPAIR AND MODIFICATION; REFER TO S1.0B & S1.1A

EXISTING EXTERIOR SITE ACCESS STRUCTURE, NOT IN STRUCTURAL SCOPE.

UNEXCAVATED AREA UNDER SUN PORCH

SHEET NOTES

1. ALL CONDITIONS SHALL BE FIELD VERIFIED AS ASSUMED PER CONTRACT DOCUMENTS. NOTIFY CONTRACTING OFFICER IMMEDIATELY WITH ANY DISCREPANCIES. CONTRACTOR REVIEW TO OCCUR PRIOR TO REPAIR, NEW FRAMING FABRICATION, AND INSTALLATION; REFER TO REPAIR SHEETS.
2. VERIFY ALL DIMENSIONS IN FIELD, INCLUDING FRAMING SIZES SHOWN ON PLAN. COORDINATE ALL DIMENSIONS WITH ARCHITECT, CIVIL, MEP, AND OTHER PRIME CONTRACTORS.
3. COORDINATE ALL SLAB OPENINGS, SLOPES, SLEEVES, DEPRESSIONS, EDGE DIMENSIONS AND CURBS WITH ARCHITECT, CIVIL, MEP AND OTHER PRIME CONTRACTORS; REFER TO REPAIR SHEETS
4. SEE ARCHITECTURAL DRAWINGS FOR ALL OTHER INFORMATION NOT SHOWN.
5. CONTRACTOR TO PERFORM NON-DESTRUCTIVE EVALUATION TO LOCATE WALL/BREAM REBAR PRIOR TO NEW STEEL MEMBERS OR ASSOCIATED CONNECTION ANCHORAGE INSTALLATION.
6. REFER TO DETAILS ON S5.X SERIES SHEETS FOR APPLICABLE DETAILS.
7. NEW FLOOR AND WALL OPENINGS INDICATED ON PLAN ARE NOT ALL INCLUSIVE. COORDINATE ALL OPENINGS WITH ARCH, CIVIL, AND MEP DRAWINGS. REFER TO GENERAL NOTES AND TYPICAL DETAILS ON S5.7 RELATED TO CORING AND MASONRY LINTELS. REFER TO DETAILS ON S5.4 FOR FLOOR SUPPORT AT NEW OPENINGS; PROVIDE W8X15 MINIMUM BEAM SIZE.
8. WALL FOOTINGS ARE SHOWN SCHEMATICALLY; CONFIGURATION AND ELEVATION ARE UNKNOWN. INVESTIGATION IS REQUIRED WHERE NEW SUBGRADE STRUCTURE IS ADJACENT TO EXISTING FOUNDATIONS. BOTTOM OF NEW FOUNDATIONS SHALL MATCH EXISTING. DO NOT UNDERMINE EXISTING STRUCTURE.



1 EXISTING FOUNDATION / BASEMENT PLAN  
S1.0 1/8" = 1'-0" SCALE (A)

A/E FIRMS PRIME/ARCH: <b>STRATA ARCHITECTURE</b> 1703 OAK STREET, SUITE 100 KANSAS CITY, MO T: 816.474.0900  ENG: <b>SILMAN</b> 211 N 4TH AVE, ANNA ARBOR, MI T: 734.800.2460	DESIGNED: KH	SUB SHEET NO.  <b>01</b> <b>S1.0</b>	TITLE OF SHEET <b>MAURICE BATHHOUSE</b> <b>EXISTING FOUNDATION /</b> <b>BASEMENT PLAN</b>  REHABILITATE BATHHOUSES HOT SPRINGS NATIONAL PARK	DRAWING NO. <b>128</b> <b>182951</b>
	CADD: CM			PMIS/PKG NO. 318915
	TECH. REVIEW: NH			
	DATE: 10.27.2023			93 OF 286

10/26/2023 3:41:11 PM