

1. REFER TO SHEET A-001 FOR ABBREVIATIONS, SYMBOLS AND NOTES
2. FIELD MEASURE FOR MIRRORS PRIOR TO FABRICATION.

TOILET PAPER DISPENSER
BOD BRADLEY 382 & 5425
SATIN FINISH

MAX 26"
MIN 15"

TA-1
TA-1A

DOUBLE ROLL / SEMI RECESSED
JUMBO / SURFACE MT

TOWEL PAPER/WASTE
COMBO
BOD BRADLEY ELVARI 381
SATIN STAINLESS FINISH
SEMI RECESSED

MAX 48"

TA-2

SOAP DISPENSER (MANUAL)
BOD BRADLEY 581-111
SATIN FINISH
SURFACE MOUNTED

MAX 48"

TA-3

MEDICINE CABINET / MIRROR
BOD BRADLEY 9663
STAINLESS FINISH
SURFACE MOUNTED

16" W
26" L
40" MAX TO REFLECTIVE SURFACE
18"
6"
36"

TA-4

BACK WALL

GRAB BAR
BOD BRADLEY ELVARI 482-111
SURFACE MTD

42"
12"
TOP OF BAR
36"
30"

TA-5

SIDE WALL

SANITARY NAPKIN DISPOSAL
BOD BRADLEY ELVARI 482-111
SURFACE MTD

MAX 48"

TA-6

FRAMED MIRROR
CUSTOM SIZES
BOD BRADLEY 781
SATIN STAINLESS FINISH

VARIES
40" MAX TO REFLECTIVE SURFACE

TA-7A
TA-7B

18X36
24X60

MOP & BROOM HOLDER
BOD BRADLEY 9854
SATIN FINISH
SURFACE MOUNTED

MAX 48"

TA-8

ROBE HOOK
BOD BRADLEY 9124
STAINLESS FINISH
SURFACE MOUNTED

MAX 48"

TA-9

18" TOWEL BAR
BOD BRADLEY 9865
SATIN FINISH
SURFACE MOUNTED

MAX 48"

TA-10

SHOWER ROD/HOOK/CURTAIN
BOD BRADLEY 9538, 9538, 9537
SATIN
SURFACE MOUNTED

6'-3"

TA-11

The drawings illustrate the following minimum clearances and dimensions:

- Water Closet Side Wall:**
 - 59" MIN. @ FLOOR-MOUNTED TOILET
 - 56" MIN. @ WALL-HUNG TOILET
 - TOILET PARTITION WHERE OCCURS
 - 1 1/2" DIA. GRAB BAR WITH 1 1/2" GAP FROM WALL
 - TOILET PAPER MOUNTING AREA
 - 50" (Total height)
 - 12" (Toilet height)
 - 9" (Toilet base width)
 - 15" (Toilet base depth)
 - 7" (Toilet base offset)
 - 9" (Toilet base offset)
 - 1 1/2" MIN. (Grab bar clearance)
- Water Closet Back Wall:**
 - 60" MIN. (Total width)
 - 17"-19" H.C. (Toilet height)
 - 16"-18" (Toilet base width)
 - 15"-19" STD. (Toilet base depth)
 - 9" (Toilet base offset)
 - 6" (Toilet base offset)
 - TOE SPACE
- Urinal:**
 - URINAL SCREEN WHERE OCCURS
 - 24" (Screen width)
 - 42" (Screen height)
 - 12" (Toilet base offset)
 - 17"-24" STD. (Urinal base width)
 - 17" MAX H.C. (Urinal height)
- Lavatory or Vanity Sink:**
 - COUNTER WHERE OCCURS
 - 15" MIN. (Counter height)
 - 34" MAX. (Sink depth)
 - 27" MIN. (Sink width)
 - ACCESSIBLE SINK BOWL 6 1/2" DEEP
 - OFFSET WASTE
- EWC (Emergency Water Closet):**
 - 2'-3" (Total height)
 - 0'-9" MIN. (Toilet height)
 - 0'-6" MIN. (Toilet base width)
 - 0'-6" MIN. (Toilet base depth)
 - 3'-0" MAX. (Toilet base offset)
 - TO SPOUT ACCESSIBLE