276 1/2"

₩ PL-3 ₩

1 B-1

FULL INTERIOR

246"

11)

SSF-1 4

28

28 1/2"

25 1/2"

28 1/2"

MILLWORK NOTES / SCHEDULE MILLWORK TO BE INSTALLED AFTER TILE ON FLOOR. SUPPLY ACCESS PANELS AS REQUIRED. FIELD VERIFY EXACT LOCATIONS. WHERE APPLICABLE CABINETS WILL BE LINE BORES FOR ADJUSTABLE SHELVING. ALL MILLWORK IN COFFEE, FOUNTAIN, AND ICEE AREAS SHALL BE CONSTRUCTED USING 19MM (3/4") "KOMATEX" INTEGRAL FOAM SHEETS UNLESS NOTED OTHERWISE. PROVIDE 3/4" THK. VERTICAL SUPPORTS IN BASE CABINETS CONT. FROM FRONT TO BACK @ BAG RACKS ARE PROVIDED BY OWNER. INSTALLED BY CONTRACTOR. GROMMETS TO BE 2 3/8". VERIFY PLACEMENT WITH OWNER. HINGES: BLUM, CLIP TOP BLUMOTION SOFT CLOSE, STEEL W/ POLISHED FINISH. PULLS: HAFELE, ALUMINUM HANDLE, DARK OIL-RUBBED BRONZE ITEM # 124.02.332 CATCHES: EPCO MAGNETIC LED LIGHTS: HAFELE, "LOOX" 12V STRIP. 1/4" PLEXI-GLASS INSERT 6"WX5"HX30"L WITH ADJUSTABLE PARTITIONS ALL SOLID SURFACE TO BE SSF-1, UNLESS OTHERWISE NOTED. ALL LAMINATE AT EXTERIOR EXPOSED SURFACE AREAS TO RECEIVE PL-1, UNLESS OTHERWISE NOTED. INTERIOR CABINETS EXPOSED SURFACES TO BE PL-3, UNLESS OTHERWISE NOTED.

MILLWORK - KEYED NOTES

1 T-1 TILE AS SCHEDULED.

NOTE: FIELD VERIFY THE ABOVE FINISHES, CONFIRM WITH OWNER.

$\langle 2 \rangle$ T-3 TILE AS SCHEDULED.

- (3) (T-4 TILE AS SCHEDULED.) 4 SOLID SURFACE- W/ BULLNOSE EDGES
- PONY WALL ASSEMBLY. CERAMIC TILE AS SCHEDULED, OVER 5/8" CEMENT BOARD, OVER 18 GA. MTL. STUD FRAMING @ 16" O.C.
- (6) CABLE CHASE BEYOND, PROVIDE 1/4 BEND OFFSETS IN CORNER CASE.
- 7 ACCESS PANEL
- 8 12"x12" ACCESS PANEL 9 RAW PLYWOOD FOR TILE

35 5/8"

- (10) GROMMET 2 3/8"
- (11) SCHEDULED SAFE
- (12) LINE OF CIGARRETE SHELVING (13) EQUIPMENT. -- RE: SCHEDULE
- (14) DROP-IN REFRIGERATED COLD WELLS.
- 10^{15} 8" DIAMETER TRASH HOLE WITH 3" DEEP PVC SLEEVE BELOW SOLID SURFACE COUNTER.
- 16 TRASH CAN, BY OTHERS.
- 17 30-1/8"L x 6-1/2"H x 6-1/8"D COVE FOR INSERT TYPICAL
- $\langle 18 \rangle$ LED LIGHTING "LOOX" 12V STRIP LIGHTING TYP.
- (19) 1/4" PLEXI-GLASS INSERT 6"Dx5H"x30"L W/ ADJUSTABLE PARTITIONS TYP. 6 / A8.00
- (20) 1/4"x8" ROUTED OPEN AIR VENTS

LAWRENCE S. LEVINSON, A.I.A.

Buc-ee's Benton, LLC

Saline County, Arkansas

TEL: (979) 230-2920

7800 Washington Ave., Suite 600 main: 713.600.3600 Houston, TX 77007 www.laarc.com ISSUE/REVISION LOG: DATE No. DESCRIPTION 1 OWNER CHANGES 09/09/2024 3 OWNER CHANGES 04/23/2025



04/23/2025

Copyright 2024 Lawrence S. Levinson, AIA., Warning: This document is protected by U.S. Copyright Law Under Section 102 of the U.S. Copyright and the Architectural Works Copyright	
ISSUED FOR PERMIT:	05/14/2024
ISSUED FOR BID:	05/14/2024
ISSUED FOR REVIEW:	04/26/2024

civil and criminal penalties, and will prosecuted to maximum extent possible under the law.

Protection Act of 1990. Unauthorized reproduction and distribution of this document or any portion of it, other than for use of this particular project, is prohibited and may result in severe

MILLWORK DETAILS -CASHIER COUNTER 1

2024-107.000 LAARC PROJECT NUMBER:

BENTON, ARKANSAS