



Buc-ee's Benton, LLC
Saline County, AR

BUC-EE'S TRAVEL CENTER
BENTON, ARKANSAS
74K - L - 2024 - Q2
INTERSTATE 30 & STATE HIGHWAY 229
BENTON, ARKANSAS 72019

BENTON, ARKANSAS



1. SEE SHEET S1.0 FOR CONSTRUCTION GENERAL NOTES.
2. JOIST SPACING (SEE PLAN).
3. ELEVATION SHOWS POINTS -XX-XX-XX" IS FROM FINISH FLOOR TO TOP OF BEAM OR GIRDER END.
4. ELEVATION SHOWS POINTS TJXX-XX-XX" IS FROM FINISH FLOOR TO TOP OF JOIST.
5. LOADS SHOWN WITH "←" -XX KIPS" ARE LOADS FROM ROOF/MECHANICAL UNITS AND ARE TO BE ADDED TO PANEL POINT LOADS NOTED IN JOIST GIRDER ELEVATION.
6. JOIST GIRDERS DESIGNATED AS "SP1" ARE NOSS SO DUE TO UNEVEN PANEL POINT LOADS ACROSS SPAN.
7. DIMENSIONS REFLECT CENTER-TO-CENTER OF ARCH FRAMING COLUIMNS. REFERENCE TO "TUBE FRAMING & CANTOPY ARCH" DETAIL 156.5.2.
8. SEE "TYPICAL STRUCTURAL FRAMING ELEVATION" ON SS.1.
9. HIGH & LOW BEAM CONNECTION TO PANEL AT THIS LOCATION TO BE BOLTED. SEE DETAIL ON SHEET S5.0.
10. 13 x 36 HEB SECTION (482 Lb At Level) @ HIGH & LOW FRAMING. SEE ORIGIN 2.8.2 FOR CONNECTION.
11. ALL RUT LOCATIONS SHOWN ON PLAN ARE SPECIFIC LOCATIONS. CONSTRUCTION SHOULD BE BROUGHT TO THE ATTENTION OF THE STRUCTURAL ENGINEER. COORDINATE W/ MEP DRAWINGS FOR ANY ADDITIONAL EQUIPMENT NOT SHOWN ON PLAN. REFERENCE TO DETAIL 156.5.2.1 ON SHEET S5.0 FOR REQUIRED FRAMING SUPPORTS. THE GENERAL CONTRACTOR IS TO COORDINATE THE UNIT SIZES, CONFIGURATIONS, AND DECK OPENINGS TO ENSURE PROPER SUPPORTS ARE INSTALLED.
12. REFER TO DETAIL 156.5.0 FOR REQUIRED FRAMING AT ROOF DRAIN LOCATIONS. SEE ARCH DRAWINGS FOR DRAIN LOCATIONS.