

4/24/2026 2:21:26 PM Autodesk Docu/Baxter and Vantive- Mountain Home\BAXTER_VANTIVE_Master Base File_ARCH_1/25.vnt

E

D

C

B

A

VANTIVE TUBING CLEANROOM
MOUNTAIN HOME, AR

B. Manufacturer's Abbreviations:

1. MK - McKinney
2. SA - SARGENT
3. RO - Rockwood
4. AD - Adams Rite
5. PE - Pemko
6. SU - Securitron

Hardware Sets

Set: 1.0

Doors: 598B

Description: EXT - PR - EAC

5 Hinge	T4A3386 NRP 4-1/2" x 4-1/2"	US32D	MK	
1 Hinge, Full Mortise, Hvy Wt	T4A3386 QCXX 4-1/2" x 4-1/2"	US32D	MK	⚡
2 Surface Bolt	988 / 580-8	Bright Zinc	SA	
1 Dust Proof Strike	570	US26D	RO	
1 Fail Secure Lock	RX 10XG71 LL	US26D	SA	⚡
1 Cylinder	as required	US32D	SA	
1 Coordinator [W/mtg plates]	2672 x Mtg Brkts	Black	RO	
2 Surface Closer	281	EN	SA	
2 Armor Plate	K1050 36" X 1" LDW CSK TEK	US32D	RO	
2 Door Stop	463-RKW	US32D	RO	
1 Astragal	357SP TKSP X S88BL		PE	
1 Gasketing	S88BL		PE	
1 Rain Guard	346C x LAR		PE	
1 Sweep	3452APK TKSP		PE	
1 Threshold	2005AT MSES25SS		PE	
1 ElectroLynx Harness	QC- [PS to Hinge]		MK	⚡
1 Card Reader	By Others			⚡
1 Wiring Diagram	WD-SYSPK		SA	
1 ElectroLynx Harness	QC- [Hinge to Hardware]		MK	⚡
2 Position Switch	DPS-M/W -W As Required		SU	⚡
1 Power Supply	AQL4-R8E1		SU	⚡

Notes: Door is normally closed and secure. Access by valid credential or key override.
The door will remain locked in a power loss.
Free egress at all times

Set: 2.0

Doors: 595B

Description: EXT - EAC

2 Hinge	T4A3386 NRP 4-1/2" x 4-1/2"	US32D	MK	
---------	-----------------------------	-------	----	--

DOOR HARDWARE 087100 - 17

VANTIVE TUBING CLEANROOM
MOUNTAIN HOME, AR

Description: EXT - PANIC - CLASS

3 Hinge	T4A3386 NRP 4-1/2" x 4-1/2"	US32D	MK	
1 Rim Exit Device, Classroom	PE8813 WEP	US32D	SA	
1 Cylinder	as required	US32D	SA	
1 Surface Closer	281	EN	SA	
1 Armor Plate	K1050 36" X 1.5" LDW CSK TEK	US32D	RO	
1 Door Stop	463-RKW	US32D	RO	
1 Gasketing	S88BL		PE	
1 Rain Guard	346C x LAR		PE	
1 Sweep	3452APK TKSP		PE	
1 Threshold	2005AT MSES25SS		PE	

Set: 5.0

Doors: 511B, 655

Description: CLASS - CLOSER

3 Hinge	T4A3786 4-1/2" x 4-1/2"	US26D	MK	
1 Classroom Lock	10XG37 LP	US26D	SA	
1 Cylinder	as required	US32D	SA	
1 Surface Closer	281	EN	SA	
1 Armor Plate	K1050 36" X 1.5" LDW CSK TEK	US32D	RO	
3 Silencer	608		RO	

Set: 6.0

Doors: 890, 891

Description: OFFICE

3 Hinge	T4A3786 4-1/2" x 4-1/2"	US26D	MK	
1 Entry/Office Lock	10XG05 LP	US26D	SA	
1 Cylinder	as required	US32D	SA	
3 Silencer	608		RO	

Set: 7.0

Doors: 592A, 592B, 594, 598A, 674A, 674B

Description: PP

3 Hinge	T4A3786 4-1/2" x 4-1/2"	US26D	MK	
1 Mortise Deadlock	MS1850S X 4066	628	AD	
1 Cylinder	as required	US32D	SA	
1 Push Pull	RM271	US32D	RO	
1 Surface Closer	281	EN	SA	
1 Kick Plate	K1050 10" X 1.5" LDW CSK TEK	US32D	RO	
1 Door Stop	409 / 446 [as required]	US26D	RO	
1 Gasketing	S88BL		PE	
1 Sweep	315CN TKSP		PE	
1 Threshold	171A		PE	

Set: 8.0

DOOR HARDWARE 087100 - 19

VANTIVE TUBING CLEANROOM
MOUNTAIN HOME, AR

1 Hinge, Full Mortise, Hvy Wt	T4A3386 QCXX 4-1/2" x 4-1/2"	US32D	MK	⚡
1 Fail Secure Lock	RX 10XG71 LL	US26D	SA	⚡
1 Cylinder	as required	US32D	SA	
1 Surface Closer	281	EN	SA	
1 Armor Plate	K1050 36" X 1.5" LDW CSK TEK	US32D	RO	
1 Door Stop	463-RKW	US32D	RO	
1 Gasketing	S88BL		PE	
1 Rain Guard	346C x LAR		PE	
1 Sweep	3452APK TKSP		PE	
1 Threshold	2005AT MSES25SS		PE	
1 ElectroLynx Harness	QC- [PS to Hinge]		MK	⚡
1 Card Reader	By Others			⚡
1 Wiring Diagram	WD-SYSPK		SA	
1 ElectroLynx Harness	QC- [Hinge to Hardware]		MK	⚡
1 Position Switch	DPS-M/W -W As Required		SU	⚡
1 Power Supply	AQL4-R8E1		SU	⚡

Notes: Door is normally closed and secure. Access by valid credential or key override.
The door will remain locked in a power loss.
Free egress at all times

Set: 3.0

Doors: 604

Description: EAC

2 Hinge	TA2714 4-1/2" x 4-1/2"	US26D	MK	
1 Hinge [Elec]	TA2714 QCXX 4-1/2" x 4-1/2"	US26D	MK	⚡
1 Fail Secure Lock	RX 10XG71 LL	US26D	SA	⚡
1 Cylinder	as required	US32D	SA	
1 Surface Closer	281	EN	SA	
1 Kick Plate	K1050 10" X 1.5" LDW CSK TEK	US32D	RO	
1 Gasketing	S88BL		PE	
1 Sweep	315CN TKSP		PE	
1 Threshold	171A		PE	
1 ElectroLynx Harness	QC- [PS to Hinge]		MK	⚡
1 Card Reader	By Others			⚡
1 Wiring Diagram	WD-SYSPK		SA	
1 ElectroLynx Harness	QC- [Hinge to Hardware]		MK	⚡
1 Position Switch	DPS-M/W -W As Required		SU	⚡
1 Power Supply	AQL4-R8E1		SU	⚡

Notes: Door is normally closed and secure. Access by valid credential or key override.
The door will remain locked in a power loss.
Free egress at all times

Set: 4.0

Doors: 595A

DOOR HARDWARE 087100 - 18

VANTIVE TUBING CLEANROOM
MOUNTAIN HOME, AR

Doors: 511A, 512A, 512B, 565.1A, 565.1B, 565.3A, 565.3B, 565.5A, 565.5B, 568, 658A, 658B, 663

Description: BY OTHERS

1 Cylinder	as required	US32D	SA	
1 HBO-Balance	Balance of hardware by door mfg			

END OF SECTION 087100

DOOR HARDWARE 087100 - 20



3500 Parkway Lane
Suite 500
Peachtree Corners
Georgia 30092

Copyright © 2025 by Pond & Company. All rights reserved. No copying or duplication of these documents is allowed without the expressed written agreement of Pond & Company.

EOR/AOR SEAL

COA SEAL

CLIENT INFORMATION

Vantive

PROJECT NAME

VANTIVE TUBING
CLEAN ROOM

1900 AR-201
MOUNTAIN HOME,
ARKANSAS 72653

DRAWING ISSUE

24APRIL26
27FEB26
DATE

ISSUED FOR BID, EQ BID
ISSUED FOR BID
ISSUED FOR BID
DESCRIPTION

G
D
MARK

DESIGNED BY: TB
DRAWN BY: MP
CHECKED BY: JS
SUBMITTED BY: JM
DATE: 04/24/2026
PROJECT #: 1241011

SHEET TITLE

AREA 510 & 565
DOOR HARDWARE
SETS

SHEET NUMBER

dA-602

ORIGINAL SHEET SIZE:
36" X 42"

ISSUED FOR BID