







8/27/2024 11:19:40 AM / KMF / DRYER BUILDING - CEILING PLAN & ENLARGED RESTROOM PLANS


Autodesk Docs: //406493 - Rogers PCF Solids Phase 2/406493-Solids Building-BV.rvt

RESTROOM ACCESSORY SCHEDULE			
QTY	TYPE	DESCRIPTION	MOUNTING HEIGHT
1	A	SOAP DISPENSER	3'-0" TO TOP
1	B	28" X 36" FRAMED MIRROR	3'-6" TO BOTTOM
1	C	SURFACE MOUNTED WASTE RECEPTACLE	2'-10" TO TOP
1	D	SURFACE MOUNTED PAPER TOWEL DISPENSER	4'-0" TO BOTTOM
1	E	SURFACE MOUNTED DOUBLE TOILET TISSUE DISPENSER	1'-6" TO BOTTOM
1	F	42" STRAIGHT GRAB BAR @ SIDE	3'-0" TO TOP OF GRIP SURFACE
1	G	36" STRAIGHT GRAB BAR @ REAR	3'-0" TO TOP OF GRIP SURFACE
1	H	18" STRAIGHT GRAB BAR @ SIDE (6 LOCKERS TOTAL)	3'-0" TO CENTER OF GRIP SURFACE
6	I	DOUBLE TIER LOCKER SET	
1	J	LOCKER BENCH	
1	K	URINAL PARTITION WALL	



GENERAL SHEET NOTES

- THE INTERIOR SIDE OF ALL EXTERIOR WALLS SHALL BE COVERED WITH A LINER PANEL LAPPING THE TOP SIDE OF THE CONCRETE WALLS BY 3" SIMILAR TO THE EXTERIOR PANELS AND ATTACHED TO THE INSIDE FACE OF THE GIRTS. LINER PANELS SHALL CONTINUE UP TO THE ROOF. LINER PANELS SHALL BE NOTCHED AT PEDESTALS.




SHEET KEYNOTES

- STAIR, SEE STRUCTURAL.
- PIPING PENETRATION, SEE HVAC.
- GUARD RAILING, SEE STRUCTURAL.
- FLOOR MARKING, SAFETY YELLOW.
- HVAC DUCTWORK, REGISTER/GRILLE/DIFFUSER. SEE HVAC DRAWINGS.
- HVAC EQUIPMENT, SEE HVAC DRAWINGS.
- GYPSUM BOARD CEILING MOUNTED ON LIGHT GAUGE STEEL FRAMING
- METAL STAIR, SEE STRUCTURAL.
- EXPOSED STRUCTURE CEILING.
- ACOUSTICAL CEILING PANEL (24" X 24").
- SHEET METAL GUTTER.
- INSULATED METAL CURB, COORDINATE EXACT SIZE WITH PURCHASED EQUIPMENT, REFER TO MECHANICAL/HVAC DRAWINGS.
- SHEET METAL ROOF FLASHING AND PAN CRICKET.
- EDPM PIPE FLASHING BOOT ON A SHEET METAL ROOF FLASHING PAN, SEE DETAILS AT SHEET AA-08.
- STANDING SEAM ROOF.
- SNOW GUARD, PER STANDING SEAM ROOFING MANUFACTURER'S RECOMMENDATIONS.
- 3 HOUR FIRE RATED FLOOR HVAC PENETRATION.
- WALL TILING
- MECHANICAL EQUIPMENT, SEE MECHANICAL DRAWINGS.
- FIRE RATED PIPE PENETRATION SLEEVE, REFER TO FIRESTOPPING SPECIFICATION.
- GUARDRAIL, SEE STRUCTURAL DRAWINGS.

LIFE SAFETY LEGEND

- FIRE EXTINGUISHER (FE)
- COMMON PATH OF EGRESS TRAVEL
- OCCUPANTS PER SF
OCCUPANT LOAD
OCCUPANCY CLASSIFICATION
- CUMULATIVE OCCUPANT LOAD AT EXIT
- EXIT SYMBOL
- 3 HOUR FIRE BARRIER
- CEILING MOUNTED LIGHT FIXTURE



DATE	REVISION



HAWKINS WEIR ENGINEERS, INC.
Black & Veatch Architects Arkansas, PLLC
Overland Park, Kansas
COA: LL209

BLACK & VEATCH

ROGERS, ARKANSAS
ROGERS POLLUTION CONTROL FACILITY (PCF) SOLIDS HANDLING IMPROVEMENTS, PHASE II
DRYER BUILDING - CEILING PLAN & ENLARGED RESTROOM PLANS
FOR: ROGERS WATER UTILITIES

DATE: AUGUST 2024
SCALE: As indicated
DESIGNED BY: CAA
DRAWN BY: KMF
HWEI NO.: 2020043
FILENAME:

SHEET NO.
AA-03