

A.B.	ANCHOR BOLT	L.H.	LEFT HAND
AC	AIR CONDITIONING	L.H.R.	LEFT HAND REVERSE
ADD	ADDENDUM	L.L.	LIVE LOAD
ADJ.	ADJUSTABLE	L.	LIGHT
A.F.	ABOVE FINISHED FLOOR	L.T.	LIGHTWIGHT
AL	ALTERNATE	L.T.M.	LUMINOUS
ALUM	ALUMINUM	L.V.R.	LOCKER
APPROX.	APPROXIMATE (LY)	M	METER (S)
B	BOARD	M.S.	MASONRY
BLK	BELOW	MATL.	MATERIAL (S)
BLDG.	BUILDING	MD	MEDIUM
BEL	BELT	MDX.	MEDIUM DENSITY FIBERBOARD
B.M.	BLOCKING	MECH.	MECHANICAL
BM	BENCH MARK	MFR.	MANUFACTURE (ER)
B.M.	BOTTOM OF	MN.	MANHOLE
B.O.	BOTTOM OF	MN.	MINIMUM (S)
B.P.	BACK OF HOUSE	MISC.	MISCELLANEOUS
B.P.L.	BEARING PLATE	MLL.	MILLER (S)
BRG.	BEARING	M.O.	MODULAR
BRK.	BROCK	MOD.	MODULAR
B.S.	BASEMENT	MOV.	MOVABLE
B.U.R.	BUILT UP ROOFING	MR.	MOSTURE RESISTANT
CB	CABINETS	MOUNT.	MOUNT (ED), (ING)
CE	CEMENT	MULL.	MULLION
CEM.	CERAMIC	MWK.	MWIK
CF	CUBIC FOOT	N	NORTH
CH	CONTROL JOINT	NAT.	NATURAL
CL	CENTER LINE	N.C.	NOT IN CONTRACT
CLG.	CEILING	NOM.	NOMINAL
C.N.	CORNER	N.R.	NOISE REDUCTION
C.N.C.	CORNER	N.R.C.	NOISE REDUCTION COEFFICIENT
C.M.	CLOSET	N.T.S.	NOT TO SCALE
C.M.T.	CERAMIC MOSAIC TILE	N.C.	ON CENTER
CLST.	CONCRETE MASONRY UNIT	O.D.	OUTSIDE DIAMETER
C.O.	CLEAN OUT	OFF.	OFFICE
C.C.	COLUMN	OPNG.	OPENING
CONC.	CONCRETE	OPP.	OPPOSITE
CONST.	CONSTRUCTION	PAR.	PARALLEL
CONT.	CONTINUOUS	PAV.	PAVING
COOR.	CORRUGATED	P.C.F.	POUNDS PER CUBIC FOOT
CPT	CARPET	PE.D.	PEDESTAL
C.R.	CERAMIC TILE	PERF.	PERFORATED
C.T.	CENTER	PERIM.	PERIMETER
C.T.R.	CENTER	PL.	PLASTIC LAMINATE
D.F.	CUBIC YARD	PLUMB.	PLUMBING
D.F.S.	DRINK APPLIED EXTERIOR FINISHING SYSTEM	P.L.	PROPERTY LINE
D.M.	DRAINING FOUNTAIN	P.L.F.	POUNDS PER LINEAR FOOT
D.M.	DIMENSION	P.N.L.	PANEL
D.M.	DEAD LOAD	P.N.R.	PREFABRICATED (D)
D.N.	DOWN	PREFIN.	PREFINISHED
DOR.	DOOR	P.S.F.	POUNDS PER SQUARE FOOT
DS.	DOWNSPOUT	P.S.I.	POUNDS PER SQUARE INCH
D.S.	DETAIL	PT.	PAINTED
D.W.	DRAWING	PVMT.	PAVEMENT
D.W.R.	DRAWER	QTR.	QUARTER (ED)
E	EAST	QTY.	QUANTITY
E.I.	EXTERIOR INSULATED FINISHING SYSTEM	R.A.	RETURN AIR
EJ	ELEVATION	R.	RADIUS
ELEC.	ELECTRIC (AL)	R.C.P.	REFLECTED CEILING PLANK
ELEV.	ELEVATION	R.D.	ROOF DRAIN
ENC.	ELEVATOR	RECPT.	RECEPTACLE
EMER.	EMERGENCY	REFRIG.	REFRIGERATOR
ENC.	ENCLOSE (URE)	REG.	REGISTER
EWC.	ELECTRIC WATER COOLER	REIN.	REINFORCE (D), (ING)
EXP.	EXHAUST	REQD.	REQUIRED
EXIST.	EXISTING	REV.	REVISION (S), (ED)
EXP.	EXPLODED	R.H.	RIGHT HAND
EXC.	EXPOSED	R.H.R.	RIGHT HAND REVERSE
F.	FASTEN (ER)	RM.	ROOM
F.A.S.	FLOOR DRAIN	R.O.	ROUGH OPENING
F.B.	FIRE EXTINGUISHER	R.O.W.	RIGHT OF WAY
F.C.	FIRE EXTINGUISHER CABINET	S	SOUTH
FEND.	FINISHED END	S.O.C.	SOLID CORE
FG.	FIBERGLASS	S.O.F.W.	SOLID CORE FLUSHWOOD
FG.	FIRE ROSE CABINET	SCHED.	SCHEDULE
FIN.	FINISH (ED)	S.D.	STORM DRAIN
FLUO.	FLUORESCENT	SECT.	SECTION
FND.	FOUNDATION	SF.	SQUARE FEET
F.O.H.	FRONT OF HOUSE	SH	SHEATHING
F.O.S.	FACE OF STUDS	SIM.	SIMILAR
F.P.	FIRE PATED	SLT.	SLIT
FT	FOOT (FEET)	S.L.L.	SOUND AND LIGHT LOOK
F.T.	FOOTING	SPEC.	SPECIFICATION (S)
FUT.	FUTURE	SQ.	SQUARE
F.W.C.	FABRIC WALL COVERING	SR	STAIR
G.	GAGE, GAUGE	S.S.	STAINLESS STEEL
GALV.	GALVANIZED	STD.	STANDARD
G.C.	GENERAL CONTRACT (OR)	STOR.	STORAGE
G1	GALVANIZED IRON	STRUCT.	STRUCTURAL
G.L.	GLASS GLAZING	SURF.	SURFACE
GR	GRADE	SUSP.	SUSPENDED
G.V.	GYPVSUM WALLBOARD	SY.	SYMMETRY (OR SYMBO)
GYP. BD.	GYPVSUM WALLBOARD	T	TEMPERED GLAZING
H.	HEAD	TEL.	TELEPHONE
H.C.	HOLLOW CORE	TEMP.	TEMPERED GLAZING
H.C.	HEAVY DUTY	TENR.	TENONED
H.D.	HEADER	THK.	THICK (NESS)
H.W.	HARDWARE	THRESH.	THRESHOLD
H.M.	HOLLOW METAL	TV	TELEVISION
H.O.	HOLE OPEN	TL.	THEATRICAL LIGHTING
H.T.	HORIZONTAL	T.O.C.	TOP OF CURB
HR.	HOUR	T.O.S.	TOP OF STEEL
HT	HEIGHT	T.O.S.L.	TOP OF SLAB
HTG.	HEATING	T.O.W.	TOP WALL
H.V.	HIGH VENTILATION/AIR CONDITION	TYP.	TYPICAL
HWD.	HARDWOOD	TAG.	TONGUE AND GROOVE
H.W.H.	HOT WATER HEATER	UNDR.	UNDERLAYS LAB. INC.
I	INSIDE DIAMETER	U.N.O.	UNLESS NOTED OTHERWISE
IN	INCH	UR.	URINAL
INCL.	INCLUDE (D), (ING)	US	UPSTAIR
INSUL.	INSULATE (D), (ION)	VAR.	VARIABLE
INT.	INTERIOR	V.C.T.	VINYL COMPOSITION TILE
INVT.	INVEST	VERT.	VERTICAL
J	JANITOR'S CLOSET	VEST.	VESTIBULE
JNT.	JOINT	W.	WEST
K	KITCHEN	W.	WIDE FLANGE STEEL SHAPE

2
A1.1

INDICATES SECTION NUMBER

INDICATES DRAWING SHEET ON WHICH SECTION IS SHOWN

6
A1.4

INDICATES SECTION NUMBER

INDICATES DRAWING SHEET ON WHICH DETAIL IS SHOWN

3
A7.1

INDICATES SECTION NUMBER

INDICATES INTERIOR ELEVATION KEY

6
A4.1

INDICATES SECTION NUMBER

INDICATES EXTERIOR ELEVATION KEY

A1.10/100

INDICATES SPECIFIC DOOR IN ROOM BY LETTER

INDICATES DOOR FIRE RATING IN MINUTES THAT DOOR IS ASSOCIATED WITH SEE DOOR SCHEDULE

B

INDICATES WINDOW SCHEDULE

P1.3

INDICATES PARTITION SCHEDULE

NORTH ARROW - TRUE NORTH

PROJECT NORTH

NORTH ARROW - SITE PLAN

N - TRUE NORTH

	EARTH
	POROUS FILL
	CONCRETE
	RIGID INSULATION
	CONCRETE MASONRY
	BRICK
	METAL STUD PARTITION
	WOOD STUD PARTITION OR WOOD FRAMING
	WOOD BLOCKING OR END SECTION
	PLYWOOD
	BATT INSULATION

1. GENERAL NOTES:

- 1A. CONDITIONS AND DIMENSIONS - DO NOT SCALE DRAWINGS. FIELD VERIFY ALL DIMENSIONS. CHECK ALL DIMENSIONS AND ALL OTHER REGULARITIES PRIOR TO BEGINNING CONSTRUCTION. FABRICATING OR PROCURING ANY MATERIALS. REPORT ANY IRREGULARITIES OR DISCREPANCIES TO ARCHITECT IMMEDIATELY AND IN WRITING. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AND CONDITIONS. ANY SCHEDULE RESULTING FROM DISCREPANCIES BETWEEN THE DRAWINGS AND EXISTING CONDITIONS MUST BE AGREED TO BY THE OWNER, CONTRACTOR, AND ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.
- 1B. SUB-CONTRACTORS ARE REQUIRED TO REVIEW THE ENTIRE SET OF CONTRACT DOCUMENTS TO NOTE ANY DISCREPANCIES OR IF THEIR TRADE OR SPECIALTY TRADITIONALLY KNOWN AS WORK OF OTHER TRADES I.E. THE REQUIREMENTS OF PROVIDING POWER TO MECHANICAL OR OTHER EQUIPMENT SHOWN ELSEWHERE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL DIMENSIONS AND CONDITIONS. ANY SCHEDULE RESULTING FROM DISCREPANCIES BETWEEN THE DRAWINGS AND EXISTING CONDITIONS MUST BE AGREED TO BY THE OWNER, CONTRACTOR, AND ARCHITECT PRIOR TO PROCEEDING WITH THE WORK. THE GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING AND INCLUDING ALL ITEMS OF WORK REQUIRED TO BE COMPLETED IN THE CONTRACT DOCUMENTS, REGARDLESS OF WHERE ANY ITEM SHALL APPEAR IN SAID CONTRACT DOCUMENTS.
- 1C. CEILING UTILITY COORDINATION - INSTALL ALL ELECTRICAL AND OTHER CONDUIT TIGHT TO STRUCTURE. CEILING GRID AND LIGHTING FIXTURE TO WEARS TO STRUCTURAL ELEMENTS ABOVE. DO NOT ATTACH TO OTHER STRUCTURAL ELEMENTS, DUCTS, PIPES, ETC. PROVIDE A MINIMUM OF 1" CLEAR ZONE ADJACENT TO ANY FIRE OR SMOKE PARTITION.
- 1D. CONTRACTOR SHALL VERIFY AND COORDINATE SPECIFIC REQUIREMENTS FOR OWNER PROVIDED AND/OR INSTALLED EQUIPMENT.
- 1E. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING ALL WORK INCLUDED IN THE CONTRACT DOCUMENTS. ANY DISCREPANCIES BETWEEN SUB-CONTRACTORS SHALL BE ROUTED THROUGH THE CONTRACTOR.
- 1F. ADJACENT WORK, INCLUDED UNDER OTHER CONSTRUCTION CONTRACTS, WHICH IS DAMAGED DURING EXECUTION OF THIS CONTRACT WORK, SHALL BE RESPONSIBILITY OF THE CONTRACTOR TO REPAIR PRIOR TO FINAL ACCEPTANCE OF THE WORK.
- 1G. PIPING, DUCTWORK, ETC. LOCATED IN THE FINISHED AREAS OF THE BUILDING SHALL BE CONCEALED IN UNOCCUPIED SPACES WITH THE EXCEPTION OF PIPING IN EQUIPMENT ROOMS, AND STANPOPIES, REQUIRED BY CODE TO BE EXPOSED.
- 1H. ALL OPENINGS FOR PIPE, DUCTS, AND CONDUIT THROUGH ANY WALLS AND SLABS COMPOSED TO NOISE AND VIBRATION TRANSMISSION SHALL BE ACCOMMODATE A FLEXIBLE ONE INCH JGAL FILLER SURROUNDING THE PENETRATING ELEMENT.
- 1I. ALL FIRE RATED CONSTRUCTION SHALL CONFORM WITH UL TESTED STANDARDS AND /OR LOCAL REQUIREMENTS.
- 1J. COORDINATE LOCATION OF FIXTURES WITH MECHANICAL AND ELECTRICAL DRAWINGS. NOTIFY ARCHITECT OF LAYOUT CHANGES OR DISCREPANCIES.
- 1K. INSTALL FURRING UNDER COLUMNS AND CHASES AS CLOSE AS POSSIBLE TO PIPES AND STRUCTURE.
- 1M. THE PROJECT DOCUMENTS PROVIDE THAT NO ASBESTOS, ASBESTOS PRODUCTS, PCBs OR OTHER SUBSTANCE OR CONTAMINANT IS KNOWN TO BE PRESENT UNDER ANY OF THE PROJECT WORK AREAS. REGULATIONS OR ORDINANCES, ARE TO BE NOTED AND INCORPORATED IN THE PROJECT WORK.

2. EXISTING CONDITIONS NOTES:

- 2A. CONTRACTOR SHALL VERIFY ALL SITE CONDITIONS AND NOTIFY ARCHITECT OF ANY DISCREPANCIES WITHIN A REASONABLE TIME PERIOD TO ALLOW FOR REVISIONS OR CHANGES IN DESIGN PRIOR TO SCHEDULED WORK.
- 2B. CONTRACTOR TO SCHEDULE BUILDING AND HARDSCAPE STAKING INSPECTION AND NOTIFY ARCHITECT OF ANY DISCREPANCIES BEFORE BEGINNING ANY WORK.
- 2C. ANY DAMAGE BY C.C. OR SUB-CONTRACTOR TO EXISTING ASPHALT PAVEMENT AND /OR EXISTING LANDSCAPING SHALL BE REPAIRS BY THE CONTRACTOR.
- 2D. MAJOR WORK FOR THIS PROJECT IS WITHIN THE DESIGNATED PROJECT SITE AREA; HOWEVER, SOME ADJACENT AREAS WILL BE AFFECTED BY THE PROJECT. THE CONTRACTOR SHALL NOTIFY THE OWNER AND THE CITY AND SCHEDULE THIS WORK TO PROVIDE MINIMAL DISRUPTION TO THOSE AFFECTED.

3. CONCRETE NOTES:

- 3A. INTERIOR FLOOR SLABS THAT RECEIVE SCHEDULED FLOOR FINISH, SEALED OR EXPOSED WITHOUT FINISH SLAB, BE PROTECTED BY CONTRACTOR FROM DAMAGE INCLUDING BUT NOT LIMITED TO MARRING, STAINING, AND EXCESSIVE WEAR.
- 3B. WHERE APPLICABLE, NEW INTERIOR FLOOR SLABS ARE TO BE FINISHED TO RECEIVE FLOOR FINISH AS NOTED. WHERE FLOOR FINISH IS NOTED TO RECEIVE POLISHED CONCRETE, THE CONTRACTOR SHALL PROTECT THE CONCRETE FROM DAMAGE INCLUDING BUT NOT LIMITED TO MARRING, STAINING, AND EXCESSIVE WEAR.
- 3C. WHERE APPLICABLE, ALL NEW EXTERIOR SIDEWALK EXPANSION JOINTS TO RECEIVE GUN GRADE POLYURETHANE TRAFFIC SEALANT.
- 3D. ALL PLUMBING PIPING, ELECTRICAL CONDUITS, OR OTHER SIMILAR ITEMS THAT PENETRATE ANY EXTERIOR WALLS OR CONCRETE SLABS SHALL BE INSTALLED BY CORE DRILLING. INSTALL UL RATED SEALS TO ALL PENETRATIONS BY LOCAL CODE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING DRY WEATHER TIGHT CONDITION. CHIPPING OPENINGS IS NOT PERMITTED. SEE MECHANICAL AND

System	Designed By	Specified By	Purchased By	Installed By
Structured Cabling				
Building Communications - Voice, data, coax cabling	EE	EE	GC	GC
Raceway, Outlet Boxes, Power Circuits	EE	EE	GC	GC
Cabling, Jacks, Terminations, Faceplates, Racks, Patch Panels, Testing	AV/EE	AV/EE	GC	GC
Audio / Video / Lighting - Located in sanctuary & other specialty areas				
Power Transformers, Circuit Breakers Panels Boards				
AV/Lyres Sequencing Panels	AV	AV	GC	GC
AV/RTL System High Voltage Terminations	AV	AV	GC	GC
AV/RTL Conduit, Pull Strings	AV	AV	GC	GC
AV/RTL Back boxes and j boxes	AV	AV	GC	GC
Auditorium Theatrical lighting high Voltage Distribution	AV	AV	GC	GC
Egress Lighting Systems	AV	AV	GC	GC
House Lighting Systems	AV	AV	GC	GC
Blocking for LCD TV Displays and Equipment Racks	AV	AV	GC	GC
1/2" ID Black Steel Schedule 40 Lighting Pipe	AV	AV	GC	GC
Rigging Materials for Lighting Pipes	AV	AV	GC	GC
Structural Steel at Called Out Rigging Locations				
According to Specified Loads	GC	AV	GC	GC
Covers/Grills for Subwoofer and Front Fill Cavities	AV	AV	GC	GC
Millwork, Counter Tops, Walls and Finishes for FOH Control Booths	AV	AV	GC	GC
Theatrical lighting control auxiliary rack	EE	EE	GC	GC
Security and Access Control				
Access Controls - Electronic Access System	O/SEC/LV/EE	GC/SEC	SEC	SEC
Access Controls - Door Hardware	O/SEC/LV/EE	LIVE	GC	GC
Access Controls - Electrical Infrastructure	O/SEC/LV/EE	EE	GC	GC
CCTV - System	SEC	SEC	SEC	SEC
CCTV - Electrical Infrastructure	EE / SEC	EE	SEC	GC
Intrusion Detection - System	SEC	SEC	SEC	SEC
Intrusion Detection - Electrical Infrastructure	EE/SEC	EE	SEC	SEC
Miscellaneous Electrical Systems as Required				
Fire Alarm System	EE	EE	GC	GC
General Lighting Controls (U.N.O. on AV Drawings/Specs)	EE	EE	GC	GC
Millwork				
Cabinets	LIVE	LIVE	GC	GC
Counter Tops	LIVE	LIVE	GC	GC
Acoustical Treatment				
Acoustic Material Lobby	AVL	LIVE	GC	GC
Acoustic Material Auditorium	AVL	LIVE	GC	GC
Acoustic Material Childrens	AVL	LIVE	GC	GC
Commercial Food Service Equipment				
U.N.O. - All Commercial Food Service Equipment	FSC	FSC	GC	GC
Residential Food Service Appliances				
U.N.O. - All Residential Food Service Appliances	LIVE	LIVE	GC	GC
Furniture, Fixtures, and Equipment (FFE)				
U.N.O. - All FFE	O	O	O	O
Audio Visual Equipment	O/AV	AV	AV	AV
Loose Furnishings	O	O	O	O
Network & Peripheral Equipment	O	O	O	O
Systems Furniture	O	O	O	O
Auditorium Seating	LIVE	LIVE	GC	GC
Laundry Equipment (washer / dryer)	LIVE	LIVE	GC	GC
Landscaping, Signage, Graphics (See Civil and/or Landscape Drawings for Site Signage)				
Code Required Signage	LIVE	LIVE	GC	GC
Room Signage	LIVE	LIVE	GC	GC
Other - Graphics / Way Finding				
Exterior - Monumental Signs	SIGN	SIGN	SIGN	SIGN
Exterior - Building Signage	SIGN	SIGN	SIGN	SIGN

ARCHITECT / INTERIOR DESIGNER	LIVE
GENERAL CONTRACTOR	GC
ELECTRICAL ENGINEER	EE
AUDIO VISUAL INTEGRATOR	AV
SECURITY INTEGRATOR	SEC
(VIA ALLOWANCE BY GC)	
OWNER	O
FOOD SERVICE CONSULTANT	FSC
SIGNAGE VENDOR	SIGN
(VIA ALLOWANCE BY GC)	


PROVIDED FOR DOOR SWING INFORMATION ONLY. DOORS SHOWN ARE NOT NECESSARILY INCLUDED IN THIS PROJECT.

PROVIDED FOR MOUNTING HEIGHT INFORMATION ONLY. FIXTURES SHOWN ARE NOT NECESSARILY INCLUDED IN THIS PROJECT

architecture
interior design

3117 2nd Avenue South Birmingham, AL 35223
p 205.870.3000
www.LIVESdesigninc.com

3117 2nd Avenue South Birmingham, AL 35233
p 205.870.3090
www.IIVE-fasiongroup.com



CALVARY CHURCH
CALVARY CHURCH FACILITY ADDITION
BENTONVILLE, AR

Revisions		
No.	Description	Date

Project Number
2101

08/12/2020

GENERAL NOTE
SYMBOLS
LEGEND

A0.00