

1 REFER TO SHEET P-001 FOR LEGEND AND NOTES

WATER HEATER TO BE MOUNTED 6' A.F.F., WALL MOUNT KIT
MUST BE RHEEM PART# AS36111 OR EQUIVALENT.

- 1 ALL WATER PIPING INSTALLED ON AN EXTERIOR WALL SHALL HAVE MIN 2" INSULATION TO PREVENT FREEZING PIPES.
- 2 ALL PIPING ALONG EXTERIOR WALL MUST BE ROUTED BELOW EXISTING WINDOWS.
- 3 EXISTING VENT THROUGH ROOF IS ROUTED THROUGH 2ND FLOOR INSIDE CHASE, WALL ALONG COLUMN AT APPROXIMATELY THIS LOCATION. CONNECT ALL NEW VENT PIPING TO THIS VTR.
- 4 SANITARY DRAIN PIPING FOR FLOOR DRAIN TO BE ROUTED ABOVE BELOW GRADE MECHANICAL DUCT. FIELD COORDINATE ELEVATION PRIOR TO INSTALLATION. REFERENCE MECHANICAL PLAN M-101 FOR EXACT LOCATION OF DUCT.

M.L. HARRIS
AUDITORIUM
RENOVATION



Volume _____

VOLUME 1


Design Phase

**CONSTRUCTION
DOCUMENTS**

Revisions _____

[illegible]

Stamp



Notes

1. CROMWELL ARCHITECTS ENGINEERS, INC.
ALL RIGHTS RESERVED
2. THIS SHEET DESIGNED FOR COLOR PRINTING
CRITICAL INFORMATION MAY BE LOST WITH
BLACK AND WHITE PRINTING.

Project Number 2024-06

Issue Date 09-10-202

Sheet Title _____

ENLARGED PLUMBING PLANS

Sheet Number _____

P-401