


**CEILING PLAN NOTES**


- UNLESS NOTED OTHERWISE OR INDICATED, ALL DIMENSIONS SHALL BE TO THE FACE OF STUD OR FINISH FACE OF CONCRETE, MASONRY, OR IMP.
- INSTALLATION OF NEW SUSPENDED CEILING SYSTEMS TO BE IN CONFORMANCE WITH AMERICAN SOCIETY OF CIVIL ENGINEERING (ASCE) LATEST VERSION OF ASCE 7 AND ASTM E580.
- MECHANICAL AND ELECTRICAL FIXTURES SHOWN ARE FOR COORDINATION AND REFERENCE ONLY. REFER TO MECHANICAL AND ELECTRICAL.
- INSULATION INTENDED TO MEET THE ROOF INSULATION REQUIREMENTS CANNOT BE INSTALLED ON TOP OF A SUSPENDED CEILING.
- ACT CEILING LAYOUT IS SHOWN FOR REFERENCE ONLY MISCELLANEOUS CEILING MOUNTED FIXTURES, DEVICES AND SPRINKLER HEADS SHALL BE LOCATED IN CENTER OF CEILING TILE GEOMETRY AS APPLICABLE.

**LEGEND**

- COLUMN GRID (EDGE)
- COLUMN GRID
- 2 x 4 ACOUSTIC CEILING TILE (ACT)
- GYPSUM BOARD CEILING (GYP)
- EXIT SIGN (WALL MOUNTED)
- DIFFUSERS AND GRILLES- REFER TO MECHANICAL
- UNIT HEATER-REFER TO MECHANICAL
- EXHAUST FAN -REFER TO MECHANICAL
- WALL-PAK EXTERIOR LIGHT - REFER TO ELECTRICAL



**1 ARCHITECTURAL CEILING PLAN**  
SCALE: 3/16" = 1'-0"



REVISIONS		
NO.	DATE	DESCRIPTION
D	07/23/25	ISSUED FOR REVIEW
C	06/16/25	ISSUED FOR REVIEW
B	05/28/25	ISSUED FOR REVIEW
A	03/05/25	ISSUED FOR REVIEW

**PRELIMINARY,  
NOT FOR  
CONSTRUCTION,  
RECORDING PURPOSES,  
OR IMPLEMENTATION**

**SAM BORMAN, LIC # 10136**

**NOT FOR CONSTRUCTION**

DRAWN BY: D. SILVERTHORNE    APPD: S. BUFFINGTON  
CHECKED: J. LUDEWIG    DATE: 03/05/25

Power Engineers Inc. - Arkansas State  
Certificate of Registration # 645  
PROJECT LOCATION:  
6006 LOCK AND DAM ROAD  
OZARK, FRANKLIN CO., ARKANSAS

**ARKANSAS ELECTRIC  
COOPERATIVE CORPORATION**  
FITZHUGH GENERATING STATION  
ARCHITECTURAL  
CEILING PLAN

POWER ENGINEERS INC.    DWG. NO.34001-A1-2-1  
REV. NO.: D    SH. NO.: 1  
SCALE: 3/16" = 1'-0"    CTN. ON SH.: 1